2022 AUTO CATALOG



TECHNICIAN FRIENDLY

AUTOMOTIVE A/C PRODUCTS
LINE REPAIR, FILTRATION, SERVICE SOLUTIONS



MANUFACTURER OF AWARD-WINNING, OE-APPROVED, SMART SERVICE SOLUTIONS

In 1989 AirSept created the first long-lasting solution to the problem of unwanted mold and mildew odor in mobile air conditioning systems. The product became popular so quickly that by 1991, AirSept began partnering with global OEMs and suppliers to not only market our Cooling Coil Coating, but to also develop other unique new products. Since then, AirSept has developed many innovative products that help professional repair technicians solve tough problems quickly and with confidence that the repair will meet OEM standards and be durable and cost-effective.

AIRSEPT HISTORY

AIRSEPT's diverse product line has been solving real problems and saving technicians time and money in the automotive space for over 30 years. Save time, money and labor with our line of affordable, award winning products designed specifically to meet the demands of today's automotive needs.

AIRSEPT HEADQUARTERS ATLANTA, GA



AARON BECKER President www.airsept.com 678-973-2287

- Has nearly 30 years of experience manufacturing unique, time-saving parts and tools.
- As president of AIRSEPT since 2001, he has presided over the company's growth from a small Atlanta operation to a global supplier to 16 vehicle manufacturers and hundreds of major aftermarket manufacturers and distributors.





2022 CATALOG CONTENTS

LINE CONNECTORS

LINE CONNECTORS	
Smart Splice Ultimate System™	
Smart Splice Ultimate System™ / Tray 1	
Smart Splice Ultimate System™ / Tray 2	
Smart Splice Ultimate System™ / Tray 3	
Smart Splice Ultimate System™ / Tray 4	13
Smart Splice Ultimate System™ / Tray 5	14
Ultimate System Contents	15
Smart Splice™ ProSeries	
Smart Splice™ ProSeries Trans and P/S Kit	16
Smart Splice™ ProSeries A/C Kit	
Smart Splice™ Line Splice Straight, 45° and 90° Fittings	18
Smart Splice™ Line-To-Hose Connector	19
Smart Splice™ Line-To-Hose Connector Assortments	20
Smart Splice™ A/C Reduced Barrier Hose	20
Smart Splice™ Line Terminator	21
Smart Splice™ Line Terminator Application Kits	22
Smart Splice™ R134a Inline Service Port T	22
Smart Splice™ Line Repair Extension Kits	23
Smart Splice™ Inline Service Valve Inserts	24
Smart Splice™ Hose-To-Hose Connector	25
Smart Splice™ Barbed Line-To-Hose Connectors	26
Smart Splice™ 3-Way Line Connectors	27
TOOLS OF THE TRADE	
Auto Stop Crimper	28
Deburrer	
Tube Cutter	
Tube Bender	
Hose Cutter	
A/C SERVICE EQUIPMENT FILTRATION	20
Dual Recycle Guard™	
Recycle Guard™	
Recover-Only Recycle Guard™	
Recycle Guard™ Filters	
Refrigerant Canister Filter	
Recycle Guard™Accessories	32
A/C FLUSH EQUIPMENT	
Flush Machine	33
Accessories	34
A/C SYSTEM FILTRATION	
Compressor Guard™ Plates	35
Compressor Guard™ Screens	
High Side Inline Filter™	
MIO High Side Filter™	
Click Lock™	

HVAC CABIN AIR FILTRATION

	88
GM Retrofit Cabin Air Filter	38
GM Equinox / Torrent Blend Door Repair Kit™3	39
Jeep Grand Cherokee Blend Door Repair Kit	39
A/C SERVICE TOOLS	
Audi Spring-Lock Tool Kit4	10
GM Spring-Lock Tool Kit4	
Mercedes Spring-Lock Release Tool	
Spring-Lock Master Assortment4	
Volkswagen Spring-Lock Tool Kit4	10
R134a / R1234yf Pro Grade Oil/Dye Injector4	
R134a / R1234yf Small Oil / Dye Injector4	
A/C System Sight Glass Diagnostic Flush Tool	11
Service Hoses4	11
R1234yf / R134a High & Low Side Port Extenders4	12
R1234yf / R134a Service Couplers	
R1234yf / R134a Service Hoses	12
POWER STEERING	
POWER STEERING Steering Guard™4	13
Steering Guard™4	13
Steering Guard™	
Steering Guard™	
Steering Guard™	13
Steering Guard™	13 14
Steering Guard™	13 14 14
Steering Guard™	13 14 14
Steering Guard™	13 14 14 15
Steering Guard™	13 14 14 15
Steering Guard™	13 14 14 15 16
Steering Guard™	13 14 14 15 16
Steering Guard™	13 14 14 15 16
Steering Guard™	13 14 14 15 16 16
Steering Guard™	13 14 14 15 16 16

LINE REPAIR MADE EASY

EASILY CONNECT ANY METAL LINE



EXPANDED SEAL SLEEVEMORE SEALING AREA COMPENSATES

FOR OUT-OF-ROUND TUBING

ANTI-VIBRATION TENSION RING PREVENTS VIBRATION LEAKS

Patented

SUPERIOR SEALING TECHNOLOGY

HNBR SEAL SLEEVE DRAMATICALLY EXPANDS THE SEALING SURFACE AREA

HIGH-TECH ANTI-VIBRATION TENSION RING RESISTS VIBRATION LEAKS AND ENSURES DURABILITY IN TOUGH APPLICATIONS




BURST-TESTED TO 2600 PSI

EASY INSTALL
WITH A STANDARD
WRENCH

HNBR SEAL SLEEVE COMPENSATES FOR OUT-OF-ROUND TUBING

NO SPECIAL TOOLS OR ADHESIVES REQUIRED



SMART SPLICE[™]

TECHNICIAN FRIENDLY OF APPROVED LINE CONNECTORS

PATENTED SEALING TECHNOLOGY
WORKS ON ANY METAL LINE

SMART SPLICE™ patented line connection products offer a quick and durable connection and repair for automotive fluid carrying lines.




TECHNOLOGY BEHIND THE SMART SPLICE™

WHAT MAKES IT SMART

OUR PROPRIETARY SEALING TECHNOLOGY ASSURES A SUPERIOR CONNECTION AND LONG SERVICE LIFE

- Unique seal sleeve dramatically expands the sealing surface area and compensates for out of round tubing
- High Tech Anti-Vibration Tension Ring assures repair durability and resistance to vibration leaks
- 2600lb Burst Pressure





6

PART SMARTER WITH SMART SPLICE™

OE-APPROVED - EFFECTIVE - DURABLE - 5 MINUTE LINE REPAIR







SMART SPLICE™ LINE TO HOSE CONNECTOR

Connect Tubing To A/C Reduced Barrier Hose



SMART SPLICE™ HOSE TO HOSE CONNECTOR

Connect A/C Reduced Barrier Hose To Hose




SMART SPLICE™ LINE TERMINATOR

Block Off A Damaged or Unused Metal Line

SMART SPLICE™ LINE TO LINE

INSTALLS WITH STANDARD WRENCH
NO LINE REMOVAL
WORKS ON ANY METAL LINE
PATENTED SEALING TECHNOLOGY





SMART SPLICE™ 45° & 90° LINE TO LINE

Repair leaks at line bends, elbows, and turns



SMART SPLICE™ INLINE SERVICE PORT "T"

Replace damaged or hard-to-reach service ports





THE ULTIMATE OE-APPROVED LINE REPAIR ASSORTMENT

SMART SPLICE ULTIMATE SYSTEM™

SAE AND METRIC | STRAIGHT, 45° AND 90° | LINE-TO-LINE | HOSE-TO-LINE | HOSE TO HOSE CONNECTORS

OVER 8,000 REPAIR OPTIONS — EVERYTHING NEEDED TO REPAIR

AIR CONDITIONING LINES | POWER STEERING RETURN LINES
TRANSMISSION LINES | TRANS OIL COOLER LINES
ENGINE OIL LINES | COOLER LINES



SMART SPLICE ULTIMATE SYSTEM™

LINE INSTALLATION AND REPAIR SOLUTION


OE-APPROVED EFFECTIVE, DURABLE, LEAK-FREE

CERTIFIED LEAK-FREE

BURST TESTED TO 2600 PSI

SMART SPLICE™

STRAIGHT | 45° | 90° CONNECTORS



STRAIGHT CONNECTOR 8mm 10mm 12mm 15mm



45° CONNECTOR 5/16" (7.9mm) 3/8" (9.5mm) 1/2" (12.7mm) 5/8" (15.9mm)



90° CONNECTOR 5/16" (7.9mm) 3/8" (9.5mm) 1/2" (12.7mm) 5/8" (15.9mm)

SMART SPLICE™

HOSE-TO-HOSE AND LINE-TO-HOSE CONNECTORS



SMART SPLICE™ LINE TO HOSE STRAIGHT 5/16" (7.9mm) to #6 3/8" (9.5mm) to #6 1/2" (12.7mm) to #8 5/8" (15.9mm) to #10 3/4" (19mm) to #12



LINE TO HOSE 90° 5/16" (7.9mm) to #6 5/16" (7.9mm) to #6 3/8" (9.5mm) to #6 3/8" (9.5mm) to #6 1/2" (12.7mm) to #8 1/2" (12.7mm) to #8 5/8" (15.9mm) to #10 5/8" (15.9mm) to #10



SMART SPLICE™ HOSE TO HOSE #6 to #6 #10 to #10 #12 to #12

SMART SPLICE™

5/16" (7.9mm)

3/8" (9.5mm)

1/2" (12.7mm) 5/8" (15.9mm)

3/4" (19mm)

LINE TERMINATORS AND INLINE SERVICE PORT T



SMART SPLICE™ LINE TERMINATORS 5/16" (7.9mm) 3/8" (9.5mm) 1/2" (12.7mm) 5/8" (15.9mm) 3/4" (19mm) 10mm



HIGH SIDE SERVICE T 5/16" (7.9mm) 3/8" (9.5mm) 1/2" (12.7mm) 10mm



SMART SPLICE LOW SIDE SERVICE T 1/2" (12.7mm) 5/8" (15.9mm) 12mm 15mm 16mm

SMART SPLICE™

TRANSMISSION AND POWER STEERING CONNECTORS



SMART SPLICE™ LINE TO HOSE STRAIGHT 5/16" to 5/16" 3/8" to 3/8"

SMART SPLICE™ STRAIGHT CONNECTOR 5/16" to 5/16" 3/8" to 3/8"

SMART SPLICE™ 45° CONNECTOR 5/16" to 5/16" 3/8" to 3/8"

SMART SPLICE™ 90° CONNECTOR 5/16" to 5/16" 3/8" to 3/8"

SMART SPLICE™ TRANSMISSION/ POWER STEERING FILTER 5/16" 3/8

SMART SPLICE™

SERVICE TOOLS













PEX CRIMPER

DEBURRER

TUBE CUTTER

CALIPER



SMART SPLICE ULTIMATE SYSTEM™	PART NO.
SMART SPLICE ULTIMATE SYSTEM™ All 5 Trays	76049
TRAY 1 SMART SPLICE™ SMART SPLICE™ Straight, 45°, and 90° SAE / Metric	76076
TRAY 2 SMART SPLICE™ Line Terminator and Inline Service Port T	76077
TRAY 3 SMART SPLICE™ Hose—to—Hose and Line—to—Hose	76078
TRAY 4 SMART SPLICE™ Smart Splice Trans/Power Steering	76082
TRAY 5 SMART SPLICE™ Service Tools	76080

STRAIGHT | 45° | 90° CONNECTORS



LINE SPLICE 90° 1/2" 76071



LINE SPLICE 90° 3/8" 76072



LINE SPLICE 90° 5/16" 76073



LINE SPLICE 90° 5/8" 76074



LINE SPLICE 45°

1/2" 76061



LINE SPLICE 45°

76062



LINE SPLICE 45° 5/16"

5/16" 76063



LINE SPLICE 45°

5/8" 76064



LINE SPLICE 8mm 77008



LINE SPLICE 10mm 77010



LINE SPLICE 12mm 77012



LINE SPLICE 15mm 77015



LINE SPLICE 16mm 77016



LINE SPLICE

1/2″ 76001



LINE SPLICE 3/8" 76002



LINE SPLICE 5/16" 76003



LINE SPLICE 5/8"

76011



LINE SPLICE

3/4" 76012






SMART SPLICE ULTIMATE SYSTEM™ / TRAY 1


SMART SPLICE™ STRAIGHT, 45°, and 90° CONNECTORS

DESCRIPTIONPART NO.SMART SPLICE ULTIMATE SYSTEM™ / TRAY 176076

LINE TERMINATORS AND INLINE SERVICE PORT T







SMART SPLICE ULTIMATE SYSTEM™ / TRAY 2

LINE TERMINATORS AND INLINE SERVICE PORT T

DESCRIPTION	PART NO.
SMART SPLICE ULTIMATE SYSTEM™ / TRAY 2	76077

HOSE-TO-HOSE AND LINE-TO-HOSE CONNECTORS








SMART SPLICE ULTIMATE SYSTEM™ / TRAY 3

HOSE TO HOSE AND LINE TO HOSE CONNECTORS

DESCRIPTION	PART NO.
SMART SPLICE ULTIMATE SYSTEM™ / TRAY 3	76078

TRANSMISSION AND POWER STEERING CONNECTORS | STRAIGHT | 45° | 90° 76082







SMART SPLICE ULTIMATE SYSTEM™ / TRAY 4

SMART SPLICE™ TRANSMISSION AND POWER STEERING CONNECTORS / FILTERS


DESCRIPTION	PART NO.
SMART SPLICE ULTIMATE SYSTEM™ / TRAY 4	76082

SERVICE TOOLS















SMART SPLICE ULTIMATE SYSTEM $^{\text{TM}}$ / Tray 5

SERVICE TOOLS

DESCRIPTION	PART NO.	
SMART SPLICE ULTIMATE SYSTEM™ / TRAY 5	76080	

LINE CONNECTORS

76078 ### 76078 ### 76078 ### 76078 ### 76078 ### 76801 ### 76802 ### 76803 ### 76804 ### 76804 ### 76702 ### 6 Hose ### 76703 ### 10 Hose ### 76705 ### 76715 ### 76711 ### 76712
76801 76802 76803 76804 76804 76701 76702 6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE
76802 76803 76804 **T SAE LINE-TO-HOSE* 76701 76702 6 Hose 76703 10 Hose 76704 e 76705 **NE-TO-HOSE* 76711
76803 76804 T SAE LINE-TO-HOSE 76701 76702 6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE 76711
76804 T SAE LINE-TO-HOSE 76701 76702 6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE 76711
76701 76702 6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE
76701 76702 6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE
76702 6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE 76711
6 Hose 76703 10 Hose 76704 e 76705 NE-TO-HOSE 76711
10 Hose 76704 e 76705 NE-TO-HOSE 76711
10 Hose 76704 e 76705 NE-TO-HOSE 76711
NE-TO-HOSE 76711
NE-TO-HOSE 76711
76711
6 Hose 76713
10 Hose 76714
NE-TO-HOSE
76721
76722
6 Hose 76723
10 Hose 76724
SSION AND CTORS / FILTERS (TRAY 4) 76082
IOSE STRAIGHT
76762
76003
INE STRAIGHT
76002
76763
76062
76063
76072
76073
rer 71001
lter 71008
OOLS (TRAY 5) 76080
90041
90043
90044
QΛΛΛΣ
90045 90049
90045 90049

PART LIKE A TRANSMISSION & POWER STEERING PRO





TRANSMISSION AND POWER STEERING LINE REPAIR

EVERYTHING YOU NEED IN ONE CONVENIENT KIT

- 16 Unique Line Connectors
- Straight, 45° and 90° Fittings Included
- Perfect for Repairs in Tight Spaces
- Durable in Heavy Vibration Applications
- Superior Sealing = Long Service Life

SMART SPLICE™ PROSERIES TRANS AND P/S KIT (2 EACH / 16 PIECES)

PART NO.

SMART SPLICE™ STRAIGHT CONNECTORS (2) 5/16"(7.9mm), (2) 3/8" (9.5mm) SMART SPLICE™ 45° CONNECTORS (2) 5/16" (7.9mm), (2) 3/8" (9.5mm) SMART SPLICE™ 90° CONNECTORS (2) 5/16" (7.9mm), (2) 3/8" (9.5mm) SMART SPLICE™ LINE TO HOSE STRAIGHT (2) 5/16" (7.9mm) to #6, (2) 3/8" (9.5mm) to #6

78019

16

PART LIKE AN A/C PRO

AIRSEPT. PROSERIES



SMART SPLICE™ PROSERIES A/C KIT

AIR CONDITIONING LINE REPAIR

INCLUDES 18 UNIQUE LINE CONNECTORS

With Smart Splice connectors for straight and 90° line-to-line, straight line-to-hose and hose-to-hose repairs, technicians have everything needed to quickly and effectively repair or build A/C lines.

Smart Splice line repair products are superior to traditional compression fittings thanks to AirSept's proprietary sealing technology that contributes to long service life.


A unique HNBR seal sleeve dramatically expands the sealing surface and a high-tech antivibration tension ring ensures repair durability in heavy vibration automotive applications.

SMART SPLICE™ PROSERIES A/C KIT (18 PIECES)

PART NO.

STRAIGHT CONNECTORS
(1) 5/16", (2)3/8", (1) 1/2", (2) 5/8", (1) 3/4"
90° CONNECTORS
(1) 5/16", (1) 3/8", (1) 1/2", (1) 5/8"
LINE TO HOSE STRAIGHT
(1)5/16" to #6, (1) 3/8" to #6, (1) 1/2" to #8, (1) 5/8" to #10
HOSE TO HOSE
(1) #6 to #6, (1) #8 to #8, (1) #10 to #10

78020



SMART SPLICE™ STRAIGHT, 45°, and 90° FITTINGS OE-APPROVED

QUICKLY REPAIR A/C, HEATER, TRANSMISSION, AND POWER STEERING LINES INSTALLS WITH A STANDARD WRENCH NO SPECIAL TOOLS, ADHESIVES OR GLUES NEEDED BURST TESTED TO 2600 PSI

LINE SPLICE STRAIGHT SAE	PAKT NO.
1/2" OD Line	76001
3/8" OD Line	76002
5/16" OD Line	76003
5/8" OD Line	76011
3/4" OD Line	76012
3/8" to 5/16" OD	76004
1/2" to 5/16" OD	76005
1/2" to 3/8" OD	76006
LINE SPLICE™ STRAIGHT METRIC	PART NO.
	PART NO. 77008
METRIC	
METRIC 8mm 0D	77008
METRIC 8mm 0D 10mm 0D	77008 77010
METRIC 8mm 0D 10mm 0D 12mm 0D	77008 77010 77012
METRIC 8mm 0D 10mm 0D 12mm 0D 15mm 0D	77008 77010 77012 77015

LINE SPLICE STRAIGHT SAE PART NO.

LINE SPLICE- 45° SAE	PART NO.
1/2″ OD	76061
3/8″ OD	76062
5/16" OD	76063
5/8″ OD	76064
3/4"OD	76065
LINE SPLICE- 90° SAE	PART NO.
1/2″ OD	76071
1/2″ OD 3/8″ OD	76071 76072
., =	
3/8″0D	76072
3/8" OD 5/16" OD	76072 76073
3/8" OD 5/16" OD 5/8" OD	76072 76073 76074

PART NO.
76050
76051
PART NO.
76052
PART NO.
TANTINO.

LINE SPLICE ASSORTMENT





5/8" (15.9mm) OD Line to #10 Hose (also fits 15mm, 16mm 0D Lines)

SMART SPLICE™ LINE-TO-HOSE CONNECTOR OE-APPROVED

MEETS OEM PERFORMANCE AND DURABILITY STANDARDS
SEAL TECHNOLOGY SUPERIOR TO TRADITIONAL COMPRESSION FITTINGS

Self-adjusting, anti-vibration tension ring

Precision designed for leak prevention

Unique crimping system

Meets OEM performance and durability requirements

Leak-proof Line Splice™ technology on the metal side of the connection

Superior hose crimp technology on the rubber side

Installs in 5 minutes

Master kit includes assembly tools

Also available in Tray Three of the Smart Splice Ultimate System

SMART SPLICE™ LINE-TO-HOSE CONNECTOR KITS

SMITHT STEICE EINE TO HOSE CONNECTOR AND	
LINE SPLICE STRAIGHT SAE	PART NO.
1/2" (12.7mm) 0D Line to #8 Hose	76701
3/8" (9.5mm) OD Line to #6 Hose	76702
5/16" (7.9mm) OD Line to #6 Hose	76703
5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)	76704
3/4" (19mm) OD Line to #12 Hose	76705
LINE SPLICE 45° SAE	PART NO.
1/2" (12.7mm) OD Line to #8 Hose	76711
3/8" (9.5mm) OD Line to #6 Hose	76712
5/16" (7.9mm) OD Line to #6 Hose	76713
5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)	76714
3/4" (19mm) OD Line to #12 Hose	76715
LINE SPLICE 90° SAE	PART NO.
1/2" (12.7mm) 0D Line to #8 Hose	76721
3/8" (9.5mm) OD Line to #6 Hose	76722
5/16" (7.9mm) OD Line to #6 Hose	76723
5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)	76724
3/4" (19mm) OD Line to #12 Hose	76725

SMART SPLICE™ LINE-TO-HOSE CONNECTOR ASSORTMENTS

OE-APPROVED

QUICKLY CONNECT METAL LINE TO RUBBER HOSE HANDLES ANY TYPE OF LINE-TO-HOSE REPAIR



LINE SPLICE ASSORTMENT KITS - STRAIGHT	PART NO.
Straight Assortment – Four Pack ONE Each: 5/16", 3/8", 1/2" and 5/8"	76706
Straight Assortment — Five Pack ONE Each: 5/16", 3/8", 1/2", 5/8" and 3/4"	76707
45° Assortment – Four Pack ONE Each: 5/16", 3/8", 1/2" and 5/8" 45°	76716
90° Assortment – Four Pack ONE Each: 5/16", 3/8", 1/2" and 5/8" 90°	76726

SMART SPLICE™ A/C REDUCED BARRIER HOSE

OEM QUALITY

BUILD YOUR OWN HOSES FOR MORE PROFIT, FASTER REPAIR COMPLETION
FLEXIBLE HOSE OFFERS HIGHER BEND RADIUS FOR EASY ROUTING
Various lengths available from 15 feet up



SAE REDUCED BARRIER HOSE KITS	PART NO.
#6 (5/16" ID) Per Foot, 15 ft. Minimum	76741
#8 (13/32" ID) Per Foot, 15 ft. Minimum	76742
#10 (1/2" ID) Per Foot, 15 ft. Minimum	76743
#12 (5/8" ID) Per Foot, 15 ft. Minimum	76744







SMART SPLICE LINE TERMINATOR™ OE-APPROVED REAR A/C BLOCK-OFF KITS

QUICKLY AND EFFECTIVELY BLOCKS A/C LINES AT THE DAMAGE POINT OR AT THE FRONT SYSTEM "Y"

NO CUSTOM FIT BLOCKS NEEDED

MAXIMIZES FRONT A/C COOLING AND INSTALLS UNDER THE HOOD IN FIVE MINUTES

NO LINE R&R REQUIRED

Bypasses Leaking Rear Evaporators and Failed System Components

Maximizes Front A/C Performance

Eliminates Refrigerant and Oil Pooling in Rear A/C Lines

Also available in Tray Two of the Smart Splice Ultimate System

8mm OD Line 77508 10mm OD Line 77510 12mm OD Line 77512 15mm OD Line 77515 16mm OD Line 77516	SAE LINE TERMINATOR A/C BLOCKOFF KITS	PART NO.
5/16" OD Line 76503 5/8" OD Line 76504 3/4" OD Line 76505 METRIC LINE TERMINATOR A/C BLOCKOFF KITS PART NO. 8mm OD Line 77508 10mm OD Line 77510 12mm OD Line 77512 15mm OD Line 77515 16mm OD Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS PART NO. SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits 76526 Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	1/2" OD Line	76501
5/8" OD Line 76504 3/4" OD Line 76505 METRIC LINE TERMINATOR A/C BLOCKOFF KITS PART NO. 8mm OD Line 77508 10mm 0D Line 77510 12mm 0D Line 77512 15mm 0D Line 77515 16mm 0D Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS PART NO. SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits 76526 Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	3/8" OD Line	76502
3/4" OD Line 76505 METRIC LINE TERMINATOR A/C BLOCKOFF KITS 8mm OD Line 77508 10mm OD Line 77510 12mm OD Line 77512 15mm OD Line 77515 16mm OD Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	5/16" OD Line	76503
METRIC LINE TERMINATOR A/C BLOCKOFF KITS PART NO. 8mm 0D Line 77508 10mm 0D Line 77510 12mm 0D Line 77512 15mm 0D Line 77515 16mm 0D Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS PART NO. SAE 5-Pack 0NE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits 76526 Metric 10-Pack 0NE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	5/8" OD Line	76504
## A/C BLOCKOFF KITS 8mm 0D Line	3/4" OD Line	76505
10mm 0D Line 77510 12mm 0D Line 77512 15mm 0D Line 77515 16mm 0D Line 77516 LINE TERMINATOR PART NO. SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530		PART NO.
12mm 0D Line 77512 15mm 0D Line 77515 16mm 0D Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS PART NO. SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits 76526 Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	8mm OD Line	77508
15mm OD Line 77515 16mm OD Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	10mm 0D Line	77510
16mm OD Line 77516 LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	12mm 0D Line	77512
LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	15mm 0D Line	77515
A/C BLOCKOFF ASSORTMENT KITS SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530	16mm OD Line	77516
ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530		PART NO.
ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus 76530		76526
	ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus	76530

SMART SPLICE™ LINE TERMINATOR APPLICATION KITS

TAKE THE GUESSWORK OUT OF BLOCKING FAILED REAR A/C COMPONENTS

OUR TERMINATOR APPLICATION KITS PROVIDE EVERYTHING NEEDED TO BLOCK FAILED REAR A/C SYSTEMS, THANKS TO OUR UNIQUE YEAR/MAKE/MODEL CATALOG LOOKUP

Kits available for 1995-2015 Chrysler, Ford and GM SUVs, Trucks and Vans

Contains Line Terminator Block Fittings for both High and Low Side A/C Lines

Eliminates need for custom block fittings, access to rear evaporator case - reduces cost and labor time

Helps Maximize Front A/C System Performance

Eliminates Refrigerant and Oil Pooling in Rear A/C Lines



LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS DESCRIPTION PART NO

DESCRIPTION	PART NO.
SMART SPLICE™Y/M/M Application Kit (high /low sides) 1996-2015 Chevrolet, GM SUVs/Trucks/Vans	76511
SMART SPLICE™Y/M/M Application Ki (high /low sides) 1997-2010 Chrysler, Ford models	76512
SMART SPLICE™ Y/M/M Application Kit (high /low sides) 1995-2014 Chrysler, GM Models	76513

SMART SPLICE™ R134A INLINE SERVICE PORT T

OE-APPROVED


NO LINE R&R

REPLACE DEFECTIVE OR HARD-TO-REACH SERVICE PORTS QUICK, DURABLE, LEAK-PROOF AND PROFITABLE PORT REPAIR INSTALLS IN MINUTES

NO WELDING OR BRAZING REQUIRED


Also available in Tray Two of the Smart Splice Ultimate System

Based on the superior sealing technology of AirSept's Smart Splice™ Line Splice



LOW SIDE INLINE SERVICE PORT T™ SINGLES	PART NO.
1/2" OD line	76201
3/8" OD line	76202
5/8" OD line	76204
10mm 0D line	77210
12mm 0D line	77212
15mm 0D line	77215
16mm OD line	77216

HIGH SIDE INLINE SERVICE PORT T™ SINGLES	PART NO.
5/16" OD line	76212
3/8" OD line	76213
1/2" OD line	76214
8mm 0D line	77228
10mm 0D line	77222
12mm 0D line	77220



QUICKLY REPAIR LARGE SEGMENTS OF DAMAGED LINE

SMART SPLICE™ LINE REPAIR EXTENSION KITS



SMART SPLICE™ LINE REPAIR EXTENSION KITS

EFFECTIVE, DURABLE LEAK REPAIR FOR DAMAGED METAL LINE SEGMENTS UP TO 24"IN LENGTH

FIVE MINUTE INSTALLATION WITHOUT LINE REMOVAL

- Cut away the damaged length of metal line, up to 24"
- 24" of appropriate hose included
- Install Smart Splice line to hose connectors on either end of remaining line
- Measure and cut included hose to correct length
- Insert hose segment and crimp to complete repair

SMART SPLICE™ LINE REPAIR EXTENSION KITS

A/C LINES	PART NO.
1/2" Line to # 8 Hose (Includes 24" of Reduced Barrier Hose)	76731
3/8" Line to # 6 Hose (Includes 24" of Reduced Barrier Hose)	76732
5/16" Line to #6 Hose (Includes 24" of Reduced Barrier Hose)	76733
5/8" Line to # 10 Hose (Includes 24" of Reduced Barrier Hose)	76734
3/4" Line to # 12 Hose (Includes 24" of Reduced Barrier Hose)	76735
OIL/TRANS LINES	PART NO.
5/16" OD Line to 5/16" ID Hose (Includes 24" of Transmission Hose)	76768
3/8" OD Line to 3/8" ID Hose (Includes 24" of Transmission Hose)	76767
POWER STEERING RETURN LINES	PART NO.
3/8" OD Line to 3/8" ID Hose (Includes 24" of Power Steering Hose)	76772





SMART SPLICE™ INLINE SERVICE VALVE INSERTS



SMART SPLICE™ INLINE SERVICE VALVE INSERTS

ADD OR REPLACE EXISTING VALVES/PORTS

INSTALL IN MINUTES

- Accommodates any switch or relay with 3/8" – 24 threads
- Durable, leak-proof installation
- No welding or brazing required

STRAIGHT SAE INLINE SERVICE VALVE INSERTS	PART NO.
5/16" x 5/16" OD line, 1/4" SAE Flare Service Valve	76251
3/8" x 3/8" OD line, 1/4" SAE Flare Service Valve	76252
1/2" x 1/2" OD line, 1/4" SAE Flare Service Valve	76253
5/8" x 5/8" OD line, 1/4" SAE Flare Service Valve	76254
STRAIGHT METRIC INLINE SERVICE VALVE INSERTS	PART NO.
8mm x 8mm 0D line, 1/4" SAE Flare Service Valve	77251
8mm x 8mm 0D line, 1/4" SAE Flare Service Valve 10mm x 10mm 0D line, 1/4" SAE Flare Service Valve	77251 77252
,	
10mm x 10mm 0D line, 1/4" SAE Flare Service Valve	77252
10mm x 10mm 0D line, 1/4" SAE Flare Service Valve 12mm x 12mm 0D line, 1/4" SAE Flare Service Valve	77252 77253

REPAIR DAMAGED HOSES IN MINUTES

SMART SPLICE™ HOSE-TO-HOSE CONNECTOR



WORKS WITH ALL COOLANT AND HEATER HOSES

ADVANCED CRIMP AND FRAME TECHNOLOGY WORKS WITH ALL A/C REDUCED BARRIER HOSES



SMART SPLICE™ HOSE-TO-HOSE CONNECTOR

OUICKLY CONNECT RUBBER HOSE ENDS

PRECISION-DESIGNED CRIMP SYSTEM PROVIDES SUPERIOR LEAK-RESISTANT SEAL

ADVANCED CRIMP TECHNOLOGY WORKS WITH HAND-HELD CRIMPER

- Meets OEM performance and durability requirements
- Also available in Tray Three of the Smart Splice Ultimate System



HOSE-TO-HOSE STRAIGHT CONNECTOR	PART NO.
# 6 A/C Hose to # 6 A/C Hose	76801
# 8 A/C Hose to # 8 A/C Hose	76802
# 10 A/C Hose to # 10 A/C Hose	76803
# 12 A/C Hose to # 12 A/C Hose	76804
4-Pack (1) #6 to #6, (1) #8 to #8, (1) #10 to #10, (1) #12 to #12	76805

FIX AUTOMOTIVE FLUID LINES WITH EASE

SMART SPLICE™ BARBED LINE-TO-HOSE CONNECTORS



SMART SPLICE™ BARBED LINE-TO-HOSE CONNECTORS

QUICKLY CONNECT METAL LINE TO RUBBER HOSE

INSTALLS IN 5 MINUTES
SUITABLE FOR MULTIPLE FLUID CARRYING SYSTEMS

Smart Splice Barbed Connectors allow quick, durable on-vehicle repair


- Leak-proof Line Splice technology on the metal side of the connection
- Superior hose crimp technology on the rubber side

HOSE-TO-TUBE REPAIRS FOR

POWER STEERING RETURN LINES
TRANSMISSION LINES
TRANS OIL COOLER LINES
ENGINE OIL LINES
ENGINE OIL COOLER LINES
COOLANT LINES
HEATER LINES



SMART SPLICE BARBED CONNECTOR	PART NO.
3/8" OD Line to 3/8" ID Hose	76762
5/16" OD Line to 5/16" ID Hose	76763
4 Pack – (2) 3/8" OD Line to 3/8" ID Hose, (2) 5/16" OD Line to 5/16" ID hose	76765



DURABLY CONNECT THREE METAL LINES

SMART SPLICE™ 3-WAY LINE CONNECTOR

SMART SPLICE™ 3-WAY LINE CONNECTOR

CONNECT LINES OF SAME OR DIFFERENT DIAMETERS

- Compact for tight spaces
- Torsion resistant for superior sealing
- Ideal for dual A/C systems
- Popular for heavy duty applications



SMART SPLICE™ 3-WAY LINE CONNECTOR

SIZE	PART NO.
3/8" x 3/8" x 3/8"	76091
1/2" x 1/2" x 3/8"	76092
3/4" x 3/4" x 1/2"	76093
5/8" x 5/8" x 1/2"	76094
1/2" x 1/2" x 1/2"	76095

TOOLS OF THE TRADE

PROFESSIONAL GRADE TOOLS FOR HOSE REPAIR AND ASSEMBLY



AUTO STOP CRIMPER

USE TO INSTALL SMART SPLICE™ CRIMPS

DI	ESCRIPTION	PART NO.
Pex	Crimper	90045



DEBURRER

REMOVE ROUGH METAL LINE EDGES

DESCRIPTION	PART NO.
Metal Line Deburrer	90041



TUBE CUTTER

CUT LINES TO SIZE

DESCRIPTION	PART NO.
Tube Cutter	90043



TUBE BENDER

BEND TUBES TO BUILD A LINE

DESCRIPTION	PART NO.
Tube Render (up to 3/8" OD tube)	90046



HOSE CUTTER

PRECISION CUT RUBBER HOSE

DESCRIPTION	PART NO.
Rubber Hose Cutter	90044

HIGH & LOW SIDE PROTECTION **SIMULTANEOUSLY**

DUAL RECYCLE GUARD™





DUAL RECYCLE GUARD™

HIGH AND LOW SIDE PROTECTION FROM DEBRIS, SEALANT, DYE, EXCESS LUBRICANT AND CONTAMINANTS, **ALL IN ONE**

COMPATIBLE WITH ALL A/C SERVICE EQUIPMENT

HOSES, ADAPTERS AND COUPLERS INCLUDED

1 UNIT CONNECTS TO BOTH HIGH & LOW SIDES SIMULTANEOUSLY TRAPS ALL SEALANTS AND CONTAMINANTS

One unit recovers from both high and low sides simultaneously

- Traps metal shavings, desiccant particles and other harmful debris
- Maintains refrigerant flow

PREVENT SERVICE EQUIPMENT DOWNTIME USE WITH EVERY A/C SERVICE OR RFPAIR AND YOU WON'T HAVE TO WORRY



DUAL RECYCLE GUARD	PART NO.
Dual Recycle Guard for R134a A/C Systems	73001
Dual Recycle Guard for R1234yf A/C Systems	73002
Dual Recycle Guard Replacement Filter 2-Pack	75112
Dual Recycle Guard Replacement Filter 4-Pack	75114

TRAP SMARTER WITH RECYCLE GUARD™

DEBRIS, SEALANT AND CONTAMINANT SEPARATOR



PROTECT YOUR RECOVERY EQUIPMENT FROM DEBRIS,
SEALANT, DYE, EXCESS LUBRICANT AND OTHER CONTAMINANTS

SEALANT FROM AN A/C SYSTEM CAN BE DEADLY TO YOUR A/C SERVICE EQUIPMENT

RECYCLE GUARD™

- Stop-leak and seal sweller type sealants plug tubing, restrict valve movement and alter seal shape and performance
- Built-in filters on A/C service equipment are often located too far inside the equipment to protect sensitive valves, seals and fittings

TRAPS METAL SHAVINGS / DESSICANT PARTICLES	>
TRAPS BOTH STOP-LEAK AND SEAL SWELLER TYPE SEALANT	>
MAINTAINS REFRIGERANT FLOW	<
WORKS WITH ALL A/C SERVICE EQUIPMENT	<
CAN BYPASS FILTER WITHOUT DISCONNECTING RECYCLE GUARD	>
EASY DRAIN AND REPLACEABLE FILTERS FOR LONG SERVICE LIFE	< -

RECYCLE GUARD	PART NO.
1/2" ACME fittings & 36" R134a Hose	72101
1/4" Flare fittings & 36" R134a Hose	72102
Manual Recycle Guard Replacement Filter 2-Pack	72112
Manual Recycle Guard Replacement Filter 4-Pack	72114

RECOVER-ONLY RECYCLE GUARD™

PROTECT A/C SERVICE EQUIPMENT FROM CONTAMINANTS

- Trap all debris, sealant, lubricant, dye, and other contaminants as they exit the HVAC system
- Works with all commercial refrigerant types
- Available with SAE 1/4" Flare

DESCRIPTION	PART NO.
Recycle Guard - Recovery Only, 1/4" SAE fittings, w/36" hose	72104



RECYCLE GUARD™ FILTERS

REPLACEMENT FILTER KITS

DESCRIPTION	PART NO.
Two Pack	72112
Four Pack	72114



REFRIGERANT CANISTER FILTER™

PROTECT YOUR REFRIGERANT SUPPLY

- Use inline between the virgin refrigerant tank and the tank fill hose
- Helps stop debris from entering your refrigerant supply canisters


DESCRIPTION	PART NO.
Refrigerant Canister Filter, 1/4" SAE Flare Fittings	72901
Refrigerant Canister Filter Service Kit	76108





MAINTAIN YOUR RECYCLE GUARD™

ADAPTER KITS, FITTINGS AND ACCESSORIES



RECYCLE GUARD™ MOUNTING BRACKET

DESCRIPTION	PART NO.
Recycle Guard™ Mounting Bracket	72354



RECYCLE GUARD™ ADAPTERS

DESCRIPTION	PART NO.
Adapter Kit for Recycle Guard with ¼" Flare fittings	72138
Dual Automatic Recycle Guard ¼" Flare Adapter Kit (2 hoses and 4 fittings)	72139
Dual Automatic Recycle Guard $\frac{1}{4}$ " Flare to $\frac{1}{2}$ " ACME Adapter Kit (2 hoses and 4 fittings)	72127

SERVICE FITTINGS



FLUSH SMARTER WITH A/C FLUSH MACHINE

WITH DUAL-TANK AND SOUNDSILENCE™ TECHNOLOGY



FLUSH, LUBRICATE AND REPAIR A/C SYSTEMS WITH CONFIDENCE

PERFORMS 15 MINUTE FLUSH — 30 MINUTE DRYING PROCEDURE

Air Drying System ensures a max dry Air Purge Cycle Helps prevent A/C repair comebacks

PROPRIETARY ANTI-MISTING FLUID FLOW SYSTEM WITH CHARCOAL FILTRATION REDUCES SOLVENT FUMES

SoundSilence™ technology significantly reduces noise Our air flow management system prevents flushing unless flush/purge settings are in the correct position

EASY, LOW-COST MAINTENANCE R1234YF AND R134A COMPATIBLE

DESCRIPTION

PART NO.

A/C Flush Machine with Dual-Tank and SoundSilence™ Technology

40001

PREVENT SERVICE EQUIPMENT DOWNTIME KEEP YOUR FLUSH MACHINE OPERATING SMOOTHLY

REPLACE CHARCOAL FILTER EVERY 25 FLUSHES
REPLACE PARTICLE AND COALESCING FILTER EVERY 100 FLUSHES

DESCRIPTION	PART NO.
100 Flush Cycle Filter Replacement Kit for A/C Flush Machine	40020



A/C FLUSH EQUIPMENT





DESCRIPTION	PART NO.
Charcoal Exhaust Filter for A/C Flush Machine - Two Pack	40010
100 Flush Cycle Filter Replacement Kit for A/C Flush Machine	40020





DESCRIPTION	PART NO.
Spin-on Filter for A/C Flush Machine - Single	40011
Spin-on Filter for A/C Flush Machine - Case (12 each)	40012



DESCRIPTION	PART NO.
Air Inlet Filtration Cartridge Set for A/C Flush Machine	40018
Air Outlet Filtration Cartridge Set for A/C Flush Machine	40019



DESCRIPTION	PART NO.
AirSept A/C Flush Solvent - Quart Bottle	40015
AirSept A/C Flush Solvent - One Gallon Can	40016
AirSept A/C Flush Solvent - Case (FOUR each, One Gallon Can)	40017



DESCRIPTION	PART NO.
AirSept Flush Adaptor Set	40029





DESCRIPTION	PART NO.
Hose Replacement Set (10 ft. Inlet/Outlet Hoses)	40030
Hose Extension Kit (10 ft. Inlet/Outlet Extensions)	40032



DESCRIPTION	PART NO.
Replacement Coupler Set	40031

PROTECT COMPRESSORS FROM DEBRIS






COMPRESSOR GUARD™ PLATES

FILTER PLATES AVAILABLE FOR OVER 9,000 POPULAR 1978-2016 COMPRESSOR APPLICATIONS

EASY-INSTALL SUCTION FILTER PLATES

- OE-fit to factory suction line manifold for easy installation
- Fits between the suction hose manifold and compressor suction port
- Normal pressure and flow rates maintained
- Install Compressor Guard with every A/C system repair

COMPRESSOR GUARD PLATE	PART NO.
Chrysler C171 / A590	91001
Sanden TRS090 / HS110	91003
Ford Scroll	91004
Sanden SD7V16	91006
Ford FS10 / FX15	91008
GM H6 / HD6 / HT6 / V5 / V7	91009
Sanden SD7H15	91010
Denso 10S17 / 10S20 (GM Seal Washer)	91011
Denso 10S17 / 10S20 (0-ring seal)	91012
Sanden 6SBU / 7SBU / 7SEU	91014
Sanden TRS105 Saab Scroll	91015
Sanden TRSA12 GM / Saab / Isuzu Scroll	91016



COMPRESSOR GUARD PLATE	PART NO.
GM / Saturn Scroll, 3.5 Liter	91017
GM / Saturn Scroll, 2.2 Liter Small Port	91018
GM / Saturn Scroll, 2.2 Liter Large Port	91019
Mitsubishi MSC105CA	91020
Mitsubishi Scroll	91021
York Rotolock Filter Plate (HD Applications)	91022
York Tube 0 - 1" Filter Plate (HD Applications)	91023
VS16 Filter Plate (European Applications)	91024
Ford FS18 / FX20 / RS20	91025





COMPRESSOR GUARD™ SCREENS

OE-APPROVED SUCTION SCREENS PROTECT YOUR COMPRESSOR REPAIRS

COMPRESSOR GUARD SUCTION SCREEN OE-FIT SIZES MATCH ANY OE SUCTION BLOCK / MANIFOLD INSTALL WITHOUT CUTTING LINES

MULTI-SIZE SCREEN KITS COVER OVER 95% OF ALL SUCTION PORT IDS

- Maintains normal pressure and flow
- No additional fittings required
- Creates no additional leak points
- Sizes for any OE suction block / manifold



COMPRESSOR GUARD SCREEN PREVENTS DEBRIS ENTERING COMPRESSOR







COMPRESSOR GUARD™ KITS	PART NO.
24 Suction Screen Kit - contains 3 each of our 8 most popular sizes	67675
Ultimate 72 Suction Screen Kit - contains 3 each of 24 sizes	67679

5 PACK REPLACEMENT SCREENS	PART NO.	FITS ID RANGE
0.395" (10.03 mm)	67518	.384" to .392"
0.404" (10.26 mm)	67520	.393" to .401"
0.436" (11.07 mm)	67522	.425" to .433"
0.463" (11.76 mm)	67524	.452" to .460"
0.471" (11.96 mm)	67502 *	.460" to .468"
0.492" (12.50 mm)	67526	.481" to .489"
0.500" (12.70 mm)	67528	.489" to .497"
0.510" (12.95 mm)	67504 *	.499" to .507"
0.521" (13.23 mm)	67506*	.510" to .518"
0.531" (13.49 mm)	67508*	.520" to .528"
0.538" (13.67 mm)	67510*	.527" to .538"
0.552"(14.02 mm)	67512*	.541" to .549"

5 PACK REPLACEMENT SCREENS	PART NO.	FITS ID RANGE
0.561" (14.25 mm)	67536	.550" to .558"
0.579" (14.70 mm)	67538	.568" to .576"
0.588" (14.93 mm)	67530	.577" to .585"
0.595" (15.11 mm)	67514*	.584" to .592"
0.600" (15.24 mm)	67532	.589" to .597"
0.618" (15.70 mm)	67516*	.607" to .615"
0.649" (16.48 mm)	67540	.638" to .646"
0.821" (20.85 mm)	67534	.811" to .819"
0.866" (22.00 mm)	67541	.856" to .864"
0.872" (22.15 mm)	67542	.862" to .870"
0.878" (23.00 mm)	67543	.868" to .876"
10PA17	67544	Denso 10PA17


^{* =} Screen Included in Compressor Guard 24 Screen Kit # 67675

HIGH SIDE INLINE FILTER™

OE-APPROVED

PROTECT THE CONDENSER, OTHER NEW A/C COMPONENTS

- Traps metal shavings and non-metallic debris
- Tapered design forces debris to the side
- Allows continual refrigerant flow, even after catching debris
- Works with TXV or CCOT systems




HIGH SIDE INLINE FILTER	PART NO.	
Inline SAE High Side Filter for 5/16", 3/8" or 1/2" Line	76100	
Inline Metric High Side Filter for 10mm or 12mm Line	77100	
	-	Pa

MIO HIGH SIDE FILTER™

A/C HIGH SIDE DEBRIS PROTECTION

WITH MALE INSERT O-RING FITTINGS FITS BETWEEN COMPRESSOR AND CONDENSER

- Traps harmful metal and non-metallic debris
- Tapered screen forces debris to side maximizes flow
- Works with TXV or CCOT systems



MIO HIGH SIDE FILTER	PART NO.
MIO High Side Filter (#8 Fitting)	76107
Service Kit (contains new screen, 2 0 rings)	76108

AVAILABLE FOR R134a OR R1234yf

A/C SYSTEM SECURITY

CLICK LOCK™

A/C SECURITY SYSTEM

PATENTED CAP SHOWS IF A/C SYSTEM HAS BEEN OPENED KNOW IF SOMEONE ACCESSED THE SYSTEM ALERTS YOU TO CHECK FOR REFRIGERANT CROSS-CONTAMINATION


- Proof that system has been opened allows easier customer communication
- Easy repair order tracking with unique serial numbers
- Helps prevent unwittingly causing system problems

0.	











FORD E-SERIES RETURN AIR DEBRIS SHIELD

OPTIMIZES A/C SYSTEM PERFORMANCE

- Stop A/C cooling problems due to debris blocking air flow over the evaporator on 2002 - 2015 Ford E-Series vans
- Return Air Debris Shield (RADS) intercepts debris before it can reach the evaporator and optimizes A/C system performance.
- Installs In The Passenger Cabin
- No Component Removal
- Four Easy Steps, Under Five Minutes
- No Special Tools Required
- CARS Rated Filter Media

DESCRIPTION	PART NO.
Ford E Series (2002 - 2015) Return Air Debris Shield (RADS)	90025



GM RETROFIT CABIN AIR FILTER

FOR 2007-2014 GM PICKUPS AND SUVS NOT FACTORY EOUIPPED WITH A CAF

INSTALLS WITHIN VEHICLE HVAC SYSTEM

OE-FIT

- Over 5 million 2007-2014 GM Pickups and SUVs are not factory equipped with a cabin air filter.
- Installs a cabin air filter in minutes without special tools or equipment.
- EASY INSTALLATION
- Remove cover from the GM CAF cavity
- Insert AirSept's GM Truck Cabin Air Filter
- Screw on AirSept's GM Truck Cabin Air Filter Cover Plate



DESCRIPTION	PART NO.
GM Truck Segmented Cabin Air Filter — Standard	90015
GM Truck Segmented Cabin Air Filter— Carbon	90016
GM Truck Cabin Air Filter Cover Plate	90017
GM Cabin Air Filter Retrofit Kit - Standard Includes Cabin Air Filter, Cover Plate, Mounting Screw	90018
GM Cabin Air Filter Retrofit Kit - Carbon Includes Cabin Air Filter, Cover Plate, Mounting Screw	90019






GM EQUINOX / TORRENT BLEND DOOR REPAIR KIT™

OE-APPROVED

REPAIR BLEND DOORS WITHOUT DASH OR HVAC CASE REMOVAL REDUCES LABOR TIME BY 8-10 HOURS







DESCRIPTION	PART NO.
Equinox/Torrent Blend Door Repair Kit with Sleeve	68001
Equinox/Torrent Blend Door Sleeve Refill Kit	68002

JEEP GRAND CHEROKEE BLEND DOOR REPAIR KIT

LABOR TIME IS REDUCED BY UP TO 75 PERCENT NO DASH OR HVAC CASE REMOVAL

GRAND CHEROKEE BLEND DOOR REPAIR KIT ALLOWS REPAIR OF THE DRIVER'S SIDE BLEND DOOR

TWO DIFFERENT LENGTH REPAIR SLEEVES PROVIDED TO MAKE THE FIX FOR DRIVER'S SIDE OR BOTH BLEND DOORS AT ONCE

NO SPECIAL TOOLS - JUST A RATCHET AND SCREWDRIVER REDUCES LABOR TIME BY 5 TO 6 HOURS



DESCRIPTION	PART NO.
Jeep Grand Cherokee (1997-2004) Blend Door Repair Kit — Driver Side With Sleeve	68006
Jeep Grand Cherokee (1997-2004) Blend Door Repair Sleeve – Driver Side	68017



AUDI SPRING-LOCK TOOL KIT

- Unique design for disconnecting spring lock connectors on newer Audi, Volkswagen models
- High quality tensile steel construction

 DESCRIPTION
 PART NO.

 Audi Spring-Lock Tool
 90006



GM SPRING-LOCK TOOL KIT

DISCONNECTS GM SPRING-LOCK CONNECTORS

- Opens spring-lock connectors on A/C high and low side hoses
- Two sizes accommodate suction and discharge lines

DESCRIPTION	PART NO.
GM Spring-Lock Tool Set	90004



MERCEDES SPRING-LOCK RELEASE TOOL

DISCONNECTS MERCEDES SPRING-LOCK CONNECTORS

- Specially designed to disconnect Mercedes spring-lock connectors during A/C service
- Simply clamp onto spring-lock connectors and press to release service hoses

DESCRIPTION	PART NO.
Mercedes Spring-Lock Release Tool	90002



SPRING-LOCK MASTER ASSORTMENT

SPRING-LOCK TOOLS FOR MULTIPLE MAKES

- Four lock release tools for most Ford and Chrysler LH series; sizes 3/8", 1/2", 5/8" and 3/4"
- Two lock release tools for newer VW models
- Two lock release tools for newer GM models
- Ford Spring-Lock Tool Kit Sold Separately

DESCRIPTION	PART NO.
Spring-Lock Master Assortment	90000
Ford/Chrysler Spring-Lock Tool Kit	90005



VOLKSWAGEN SPRING-LOCK TOOL KIT

OEM APPROVED

EASILY OPENS SPRING-LOCK CONNECTORS DURING A/C SERVICE

- Open spring-locks on high and low side A/C hoses for access during service or repair
- Spring-loaded clamp minimizes spray when line is disconnected

DESCRIPTION		PART NO.

R134a / R1234yf PRO GRADE OIL/DYE INJECTOR

WITH UNIQUE SIGHT GLASS BODY

- Easy to read measuring scale
- Durable, all-steel body
- Up to 230 PSI injecting pressure

DESCRIPTION	PART NO.
R134a A/C Oil Injector w/Sight Glass Body	90021
R1234yf A/C Oil Injector w/Sight Glass Body	90023
R134a/R1234yf A/C Oil Injector w/Sight Glass Body	90024



R134a / R1234yf SMALL OIL / DYE INJECTOR

- Light yet Durable
- Manual Shut off, Sight Glass
- 1/2" ACME, F x M

DESCRIPTION	PART NO.
R134a/R1234yf Small Oil/Dye Injector	90020



R134a / R1234yf SIGHT GLASS DIAGNOSTIC TOOL


- Monitor System Flushing
- Check Charging Level
- View Oil Charging
- Detect Contaminants

DESCRIPTION	PART NO.
R134a/R1234vf Sight Glass Diagnostic Tool	90022



UNIVERSAL 48" SERVICE HOSES

DESCRIPTION	PART NO.
48" Blue A/C Service Hose '4" Female Flare Fittings on Both Ends	72156
48" Red A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72157
48"Yellow A/C Service Hose '4" Female Flare Fittings on Both Ends	72158



R1234yf and R134a HIGH AND LOW SIDE PORT EXTENDER

- Fits deep-seated or standard ports
- Eliminates radiator support R&R
- Quick Connect, fits in tight spaces







DESCRIPTION	PART NO.
R1234yf High Side Port Extender	90007
R1234yf Low Side Port Extender	90037
R134a High Side Port Extender	90003
R134a Low Side Port Extender	90033





R1234yf and R134a SERVICE COUPLERS

TOUGH, DURABLE QUICK CONNECT DESIGN FOR YEARS OF SERVICE

DESCRIPTION	PART NO.
R1234yf High Side Coupler	72144
R1234yf Low Side Coupler	72145
R1234yf Coupler Kit (1 High Side, 1 Low side)	72146
R1234yf Coupler to 1/4" Hose Adapter Fitting	72151
R1234yf Coupler to R134a Hose Adapter Fitting	72152
R134a High Side Coupler	72130
R134a Low Side Coupler	72131
R134a Coupler Kit (1 High Side, 1 Low side)	72132

R1234yf and R134a SERVICE HOSES

- High Quality, OEM Grade Hose
- Designed for rough service
- Available in 36" and 72"


DESCRIPTION	PART NO.
R1234yf 72" Red High Side Hose, 12mm-M x 12mm-M	72150
R1234yf 36" Yellow Jumper Hose, 12mm fitting x 1/2 x 16 ACME LH	72147
R1234yf72" High/Low (Red/Blue) Hose Set, 12mm-M x 12mm-M	72148
R1234yf 72" Blue Low Side Hose, 12mm-M x 12mm-M	72149





DESCRIPTION	PART NO.
R134a 36"Yellow Jumper Hose, 1/2" ACME x 1/2" ACME	72136
R134a 36" Blue Low Side Hose, 1/2" ACME x 14mm	72137
R134a 72" Red High Side Hose , 1/2" ACME x 14mm	72134
R134a 72" Blue High Side Hose , 1/2" ACME x 14mm	72133
R134a 72" High/Low Side Hose Set, 1/2" ACME x 14mm	72125

PROTECT POWER STEERING COMPONENTS FROM DEBRIS



STEERING GUARD™

IN-LINE POWER STEERING FILTER

- Dual filtration technology traps metal shavings and non-metallic debris
- Built-in bypass maintains flow no matter how much trash the filter catches
- Easy to clean and reinstall
- Added value for installers
- Peace of mind for customers

STEERING GUARD	PART NO.
3/8" Double Barb	74010
3/8" Barb Snap Connector	74011
5/16" Double Barb	74012

RADIATOR REPAIR

PERMATUBE™

RADIATOR OVERFLOW TUBE REPLACEMENT KITS

ALLOWS OVERFLOW TUBE REPLACEMENT ON THE VEHICLE, ELIMINATING RADIATOR REPLACEMENT OR REPAIR

- OEM-Approved
- Costs less than radiator R&R
- Factory appearance and performance
- No radiator or coolant removal





REPLACEMENT KIT

RELOCATION KIT

PERMATUBE	PART NO.
PermaTube Replacement Kit	65605
PermaTube Relocation Tools	65607
PermaTube 2 Pack Refills	65602
PermaTube 5 Pack Refills	65608

REPAIR BROKEN RADIATOR TUBES IN LESS THAN 5 MINUTES



BARBED INLINE TRANSMISSION FILTER

EXTEND THE LIFE OF YOUR TRANSMISSION REPAIRSFLUSHING DOES NOT CATCH **100**% OF HARMFUL DEBRIS

- Traps metal shavings and non-metallic debris
- Pressure tested to 750 psi
- Built-In Bypass for constant fluid flow even after filter is full
- 60% smaller than traditional transmission filters



TRANSGUARD	PART NO.
3/8" Barbed In Line Filter - Metal	71015
1/2" Barbed In Line Filter - Metal	71016
5/8" Barbed In Line Filter - Metal	71017
3/8" Barbed In Line Filter - Plastic	71115
1/2" Barbed In Line Filter - Plastic	71116

TRANSMISSION FILL ADAPTER TOOL

ALLOWS FLUID INSTALLATION ON TRANSMISSIONS WITHOUT DIPSTICKS

- Standard quick-connect fitting
- Slim design fits in tight spaces
- 23.5" flexible tube reaches around obstacles




Transmission Fill Adapter Tool

62640

44

PROTECT TRANSMISSIONS FROM OIL COOLER DEBRIS



TRANSGUARD™

INLINE TRANSMISSION FILTER

PROTECTS TRANSMISSIONS FROM OIL COOLER DEBRIS

- Installs at the oil cooler outlet to trap leftover system metal and debris before it enters the transmission inlet
- Installation complete in under five minutes
- Fits most applications without altering factory configurations
- Unique bypass system no matter how much trash the filter catches, fluid flow is constant
- Provides a great opportunity to boost your profits and increase customer satisfaction

TRANSGUARD CHRYSLER FILTER	PART NO.
3/8" Male Inverted Flare x 3/8" Female Inverted Flare	71006
3/8" Male Flare x 3/8" Female Flare	71012
TRANSGUARD GM FILTER	PART NO.
All Models with Quick Connect Fittings	71002
5/16" Male Inverted Flare x 5/16" Female Inverted Flare	71004
3/8" Male Inverted Flare x 3/8" Female Inverted Flare	71006
TRANSGUARD FORD FILTER	PART NO.
TRANSGUARD FORD FILTER 5/16" Long Flare	71032
5/16" Long Flare	71032
5/16" Long Flare 3/8" Long Flare	71032 71034
5/16" Long Flare 3/8" Long Flare TRANSGUARD IN LINE FILTER	71032 71034 PART NO.

COOLING COIL COATING™

OEM-APPROVED

ELIMINATE A/C ODOR FOR UP TO THREE YEARS

- Lasts for Up to Three Years
- Effectively reduces odor for the long term
- Sheds moisture and extends service life of evaporator
- No cover-up fragrances



TREAT HARD-TO-REACH UNDER HOOD AREAS USING THE ULTI-FLEX PRESSURE SPRAY TOOL. WORKS WITH ALL AUTOMOTIVE FLUIDS.

COOLING COIL COATING™	PART NO.
4-oz. Non-Aerosol Bottle	60602
Cooling Coil Coating/OxyVap Starter Kit	60628

COOLING COIL COATING™ STARTER KIT

OEM-APPROVED

THREE YEARS OF A/C ODOR ABATEMENT - FOR TWO VEHICLES
Cooling Coil Coating Starter Kit Includes:

- (2) Cooling Coil Coating™ 4 oz. bottles
- (2) OxyVap™ 4 oz. bottles
- (1) Ulti-Flex Pressure Spray Tool

DESCRIPTION	PART NO.
Cooling Coil Coating/OxyVap Starter Kit	60628



$OXYVAP^{TM}$

AUTOMOTIVE EVAPORATOR CLEANER

- Eliminates odor right from the source
- Removes dirt and contaminants
- Leaves no residue
- Safe for use on metals

OXYVAP™	PART NO.
OxyVan™ Evanorator Cleaner 407	60646



ULTI-FLEX PRESSURE SPRAY TOOL™


OEM-APPROVED

PRECISION ATOMIZING TIP ASSURES OPTIMAL PRODUCT DIFFUSION

THE BEST WAY TO APPLY COOLING COIL COATING, A/C ODOR SHIELD, OXYVAP OR ANY AUTOMOTIVE FLUID

- Bend to fit any underhood or undercar configuration
- Use with shop air for fast application or powerful cleaning action
- Durable metal construction, protective sheathing





DESCRIPTION	PART NO.
Ulti-Flex Pressure Spray Tool	62644

MS1 SPRAY TOOL

EFFECTIVE, PENETRATING SPRAY APPLICATOR

- Patented precision atomizing tip provides optimum liquid diffusion
- Creates uniform spray coverage
- Shop air maximizes penetration, cleaning power



DESCRIPTION	PART NO.
MS1 Spray Tool	62602





SMART SPLICE™ PATENTED, QUICK, DURABLE, LINE CONNECTORS

1-800-999-1051 / WWW.AIRSEPT.COM / 1-678-973-2287