

2024 AUTO CATALOG



TECHNICIAN FRIENDLY

**AUTOMOTIVE A/C PRODUCTS
LINE REPAIR, FILTRATION, SERVICE SOLUTIONS**

AIRSEPT®

MANUFACTURER OF AWARD-WINNING, OE-APPROVED, SMART SERVICE SOLUTIONS

In 1989 AirSept created the first long-lasting solution to the problem of unwanted mold and mildew odor in mobile air conditioning systems. The product became popular so quickly that by 1991, AirSept began partnering with global OEMs and suppliers to not only market our Cooling Coil Coating, but to also develop other unique new products. Since then, AirSept has developed many innovative products that help professional repair technicians solve tough problems quickly and with confidence that the repair will meet OEM standards and be durable and cost-effective.

AIRSEPT HISTORY

AIRSEPT's diverse product line has been solving real problems and saving technicians time and money in the automotive space for over 30 years. Save time, money and labor with our line of affordable, award winning products designed specifically to meet the demands of today's automotive needs.

AIRSEPT HEADQUARTERS

ATLANTA, GA



AARON BECKER

President

www.airsept.com

678-973-2287



- Has nearly 30 years of experience manufacturing unique, time-saving parts and tools.
- As president of AIRSEPT since 2001, he has presided over the company's growth from a small Atlanta operation to a global supplier to 16 vehicle manufacturers and hundreds of major aftermarket manufacturers and distributors.



2024 CATALOG CONTENTS

LINE CONNECTORS

- Smart Splice™ Most Popular sizes..... 15
- Smart Splice™ ProSeries..... 16
- Smart Splice™ ProSeries Trans and P/S Kit..... 16
- Smart Splice™ ProSeries A/C Kit 17
- Smart Splice™ Line Splice Straight, 45° and 90° Fittings 18
- Smart Splice™ Line-To-Hose Connector..... 19
- Smart Splice™ Line-To-Hose Connector Assortments 20
- Smart Splice™ A/C Reduced Barrier Hose.. 20
- Smart Splice™ Line Terminator..... 21
- Smart Splice™ Line Terminator Application Kits. 22
- Smart Splice™ R134a Inline Service Port T..... 22
- Smart Splice™ Line Repair Extension Kits 23
- Smart Splice™ Inline Service Valve Inserts..... 24
- Smart Splice™ Hose-To-Hose Connector..... 25
- Smart Splice™ Barbed Line-To-Hose Connectors. 26
- Smart Splice™ 3-Way Line Connectors 27

TOOLS OF THE TRADE

- Auto Stop Crimper..... 28
- Deburrer..... 28
- Tube Cutter..... 28
- Tube Bender..... 28
- Hose Cutter 28

A/C SERVICE EQUIPMENT FILTRATION

- Dual Recycle Guard™ 29
- Recycle Guard™ 30
- Recover-Only Recycle Guard™ 31
- Recycle Guard™ Filters..... 31
- Refrigerant Canister Filter 31
- Recycle Guard™ Accessories 32

A/C FLUSH EQUIPMENT

- Flush Machine 33
- Accessories..... 34

A/C SYSTEM FILTRATION

- Compressor Guard™ Plates..... 35
- Compressor Guard™ Screens..... 36
- High Side Inline Filter™ 37
- MIO High Side Filter™ 37
- Click Lock™ 37

HVAC CABIN AIR FILTRATION

- Ford E-Series Return Air Debris Shield 38
- GM Retrofit Cabin Air Filter..... 38
- GM Equinox / Torrent Blend Door Repair Kit™ 39
- Jeep Grand Cherokee Blend Door Repair Kit 39

A/C SERVICE TOOLS

- Audi Spring-Lock Tool Kit 40
- GM Spring-Lock Tool Kit 40
- Mercedes Spring-Lock Release Tool 40
- Spring-Lock Master Assortment 40
- Volkswagen Spring-Lock Tool Kit..... 40
- R134a / R1234yf Pro Grade Oil/Dye Injector. 41
- R134a / R1234yf Small Oil / Dye Injector. 41
- A/C System Sight Glass Diagnostic Flush Tool 41
- Service Hoses 41
- R1234yf High & Low Side Slim Line Couplers..... 42
- R1234yf Service Couplers 42
- R1234yf Service Hoses 42
- R134a High & Low Side Slim Line Couplers..... 43
- R134a Service Couplers 43
- R134a Service Hoses 43

POWER STEERING

- Steering Guard™ 44

RADIATOR REPAIR

- Permatube™..... 45

TRANSMISSION PRODUCTS

- Barbed Inline Transmission Filter..... 46
- Transmission Fill Adapter Tool 46
- Transguard™ Inline Filter..... 47

ODOR ABATEMENT

- Cooling Coil Coating™..... 48
- Oxyvap™ 48
- Cooling Coil Coating™ Starter Kit..... 48

SPRAY APPLICATORS

- Ulti-Flex Pressure Spray Tool™ 49
- MS-1 Spray Tool 49

LINE REPAIR MADE EASY

EASILY CONNECT ANY METAL LINE



EXPANDED SEAL SLEEVE
MORE SEALING AREA COMPENSATES
FOR OUT-OF-ROUND TUBING

**ANTI-VIBRATION
TENSION RING**
PREVENTS VIBRATION LEAKS

Patented

SUPERIOR SEALING TECHNOLOGY

HNBR SEAL SLEEVE DRAMATICALLY EXPANDS THE SEALING SURFACE AREA

HIGH-TECH ANTI-VIBRATION TENSION RING RESISTS VIBRATION LEAKS AND ENSURES DURABILITY IN TOUGH APPLICATIONS



BURST-TESTED TO 2600 PSI

**EASY INSTALL
WITH A STANDARD
WRENCH**

**HNBR SEAL SLEEVE
COMPENSATES FOR
OUT-OF-ROUND TUBING**

**NO SPECIAL TOOLS
OR ADHESIVES
REQUIRED**



**FIX A LINE LEAK
IN MINUTES**

SMART SPLICE™

TECHNICIAN FRIENDLY OE APPROVED LINE CONNECTORS

EFFECTIVE – TIME SAVING – DURABLE – REPEATABLE

PATENTED SEALING TECHNOLOGY

WORKS ON ANY METAL LINE

SMART SPLICE™ patented line connection products offer a quick and durable connection and repair for automotive fluid carrying lines.



LINE CONNECTORS

DESCRIPTION	PART NO.
SMART SPLICE™ STRAIGHT 45° 90° LINE CONNECTORS (TRAY 1)	76076
SMART SPLICE™ STRAIGHT SAE	
Line Splice Straight Repair Kit - 1/2" OD line	76001
Line Splice Straight Repair Kit - 3/8" OD line	76002
Line Splice Straight Repair Kit - 5/16" OD line	76003
Line Splice Straight Repair Kit - 5/8" OD line	76011
Line Splice Straight Repair Kit - 3/4" OD line	76012
SMART SPLICE™ STRAIGHT METRIC	
Line Splice Straight Repair Kit - 8mm OD line	77008
Line Splice Straight Repair Kit - 10mm OD line	77010
Line Splice Straight Repair Kit - 12mm OD line	77012
Line Splice Straight Repair Kit - 15mm OD line	77015
Line Splice Straight Repair Kit - 16mm OD line	77016
SMART SPLICE™ 45° SAE	
Line Splice 45° Repair Kit - 1/2" OD line	76061
Line Splice 45° Repair Kit - 3/8" OD line	76062
Line Splice 45° Repair Kit - 5/16" OD line	76063
Line Splice 45° Repair Kit - 5/8" OD line	76064
SMART SPLICE™ 90° SAE	
Line Splice 90° Repair Kit - 1/2" OD line	76071
Line Splice 90° Repair Kit - 3/8" OD line	76072
Line Splice 90° Repair Kit - 5/16" OD line	76073
Line Splice 90° Repair Kit - 5/8" OD line	76074
SMART SPLICE™ LINE TERMINATOR AND INLINE SERVICE PORT T (TRAY 2)	
SMART SPLICE™ SAE BLOCKOFF KITS	76077
Line Terminator Blockoff Kit - 1/2" OD line	76501
Line Terminator Blockoff Kit - 3/8" OD line	76502
Line Terminator Blockoff Kit - 5/16" OD line	76503
Line Terminator Blockoff Kit - 5/8" OD line	76504
Line Terminator Blockoff Kit - 3/4" OD line	76505
SMART SPLICE™ METRIC BLOCKOFF KITS	
Line Terminator Blockoff Kit - 8mm OD line	77508
Line Terminator Blockoff Kit - 10mm OD line	77510
Line Terminator Blockoff Kit - 12mm OD line	77512
Line Terminator Blockoff Kit - 15mm OD line	77515
Line Terminator Blockoff Kit - 16mm OD line	77516
SMART SPLICE™ INLINE SERVICE PORT "T" S LOW SIDE	
Line Splice Low Side Service "T" - 1/2" OD line	76201
Line Splice Low Side Service "T" - 5/8" OD line	76204
Line Splice Low Side Service "T" - 12mm OD line	77212
Line Splice Low Side Service "T" - 15mm OD line	77215
Line Splice Low Side Service "T" - 16mm OD line	77216
SMART SPLICE™ INLINE SERVICE PORT "T" S HIGH SIDE	
Line Splice High Side Service "T" - 5/16" OD line	76212
Line Splice High Side Service "T" - 3/8" OD line	76213
Line Splice High Side Service "T" - 1/2" OD line	76214
Line Splice High Side Service "T" - 10mm OD line	77220
Line Splice High Side Service "T" - 8mm OD line	77228

DESCRIPTION	PART NO.
SMART SPLICE™ HOSE-TO-HOSE AND LINE-TO-HOSE CONNECTORS (TRAY 3)	76078
SMART SPLICE™ STRAIGHT SAE HOSE-TO-HOSE	
A/C Splicer - # 6 Hose to # 6 Hose	76801
A/C Splicer - # 8 Hose to # 8 Hose	76802
A/C Splicer - # 10 Hose to # 10 Hose	76803
A/C Splicer - # 12 Hose to # 12 Hose	76804
SMART SPLICE™ STRAIGHT SAE LINE-TO-HOSE	
A/C Connector - 1/2" Line to # 8 Hose	76701
A/C Connector - 3/8" Line to # 6 Hose	76702
A/C Connector - 5/16", 8mm Line to # 6 Hose	76703
A/C Connector - 5/8", 16mm Line to # 10 Hose	76704
A/C Connector - 3/4" Line to # 12 Hose	76705
SMART SPLICE™ 45° SAE LINE-TO-HOSE	
A/C Connector - 1/2" Line to # 8 Hose	76711
A/C Connector - 3/8" Line to # 6 Hose	76712
A/C Connector - 5/16", 8mm Line to # 6 Hose	76713
A/C Connector - 5/8", 16mm Line to # 10 Hose	76714
SMART SPLICE™ 90° SAE LINE-TO-HOSE	
A/C Connector - 1/2" Line to # 8 Hose	76721
A/C Connector - 3/8" Line to # 6 Hose	76722
A/C Connector - 5/16", 8mm Line to # 6 Hose	76723
A/C Connector - 5/8", 16mm Line to # 10 Hose	76724
SMART SPLICE™ TRANSMISSION AND POWER STEERING CONNECTORS / FILTERS (TRAY 4)	
SMART SPLICE™ LINE-TO-HOSE STRAIGHT	
3/8" Line to 3/8" Hose	76762
5/16" Line to 5/16" Hose	76003
SMART SPLICE™ LINE-TO-LINE STRAIGHT	
3/8" to 3/8", straight	76002
5/16" to 5/16", straight	76763
3/8" to 3/8", angle 45°	76062
5/16" to 5/16", angle 45°	76063
3/8" to 3/8", angle 90°	76072
5/16" to 5/16", angle 90°	76073
FILTERGUARDS	
3/8" Transmission/Power Steering Filter	71001
5/16" Transmission/Power Steering Filter	71008
SMART SPLICE™ SERVICE TOOLS (TRAY 5)	
SERVICE TOOLS	
Metal Line Deburrer	90041
Metal Tube Cutter	90043
Rubber Hose Cutter	90044
Pex Crimper	90045
Caliper	90049
SMART SPLICE™ ULTIMATE SYSTEM (ALL TRAYS)	
	76049

PART LIKE A PRO

AIRSEPT PROSERIES

SMART SPLICE™ PROSERIES TRANS AND P/S KIT TRANSMISSION AND POWER STEERING LINE REPAIR

EVERYTHING YOU NEED IN ONE CONVENIENT KIT

- 16 Unique Line Connectors
- Straight, 45° and 90° Fittings Included
- Perfect for Repairs in Tight Spaces
- Durable in Heavy Vibration Applications
- Superior Sealing = Long Service Life



**SMART SPLICE™ PROSERIES TRANS AND P/S KIT
(2 EACH / 16 PIECES)** PART NO.

SMART SPLICE™ STRAIGHT CONNECTORS (2) 5/16" (7.9mm), (2) 3/8" (9.5mm)	78019
SMART SPLICE™ 45° CONNECTORS (2) 5/16" (7.9mm), (2) 3/8" (9.5mm)	
SMART SPLICE™ 90° CONNECTORS (2) 5/16" (7.9mm), (2) 3/8" (9.5mm)	
SMART SPLICE™ LINE TO HOSE STRAIGHT (2) 5/16" (7.9mm) to #6, (2) 3/8" (9.5mm) to #6	

SMART SPLICE™ PROSERIES A/C KIT AIR CONDITIONING LINE REPAIR

INCLUDES 18 UNIQUE LINE CONNECTORS

With Smart Splice connectors for straight and 90° line-to-line, straight line-to-hose and hose-to-hose repairs, technicians have everything needed to quickly and effectively repair or build A/C lines.


Smart Splice line repair products are superior to traditional compression fittings thanks to AirSept's proprietary sealing technology that contributes to long service life.

A unique HNBR seal sleeve dramatically expands the sealing surface and a high-tech antivibration tension ring ensures repair durability in heavy vibration automotive applications.



**SMART SPLICE™ PROSERIES A/C KIT
(18 PIECES)** PART NO.

STRAIGHT CONNECTORS (1) 5/16", (2) 3/8", (1) 1/2", (2) 5/8", (1) 3/4"	78020
90° CONNECTORS (1) 5/16", (1) 3/8", (1) 1/2", (1) 5/8"	
LINE TO HOSE STRAIGHT (1) 5/16" to #6, (1) 3/8" to #6, (1) 1/2" to #8, (1) 5/8" to #10	
HOSE TO HOSE (1) #6 to #6, (1) #8 to #8, (1) #10 to #10	



STRAIGHT, 45° AND 90° FITTINGS



OE-APPROVED FIVE-MINUTE METAL LINE REPAIR SOLUTION

EFFECTIVE, DURABLE LEAK REPAIR WITH NO LINE REMOVAL

SMART SPLICE™ STRAIGHT, 45°, and 90° FITTINGS

OE-APPROVED

QUICKLY REPAIR A/C, HEATER, TRANSMISSION, AND POWER STEERING LINES
 INSTALLS WITH A STANDARD WRENCH
 NO SPECIAL TOOLS, ADHESIVES OR GLUES NEEDED
 BURST TESTED TO 2600 PSI

<i>LINE SPLICE STRAIGHT SAE</i>	<i>PART NO.</i>	<i>LINE SPLICE- 45° SAE</i>	<i>PART NO.</i>	<i>LINE SPLICE ASSORTMENT KITS - STRAIGHT</i>	<i>PART NO.</i>
1/2" OD Line	76001	1/2" OD	76061	Straight SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" & 3/4" Line Splice Kits	76050
3/8" OD Line	76002	3/8" OD	76062		
5/16" OD Line	76003	5/16" OD	76063		
5/8" OD Line	76011	5/8" OD	76064	Straight SAE / Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" & 3/4" SAE Line Splice Kits, plus ONE each: 8mm, 10mm, 12mm, 15mm & 16mm Metric Line Splice Kits	76051
3/4" OD Line	76012	3/4" OD	76065		
3/8" to 5/16" OD	76004	<i>LINE SPLICE- 90° SAE</i>	<i>PART NO.</i>		
1/2" to 5/16" OD	76005	1/2" OD	76071	<i>LINE SPLICE ASSORTMENT KITS - 45° SAE</i>	45° SAE 4-Pack ONE each: 5/16", 3/8", 1/2" and 5/8" Line Splice 45° Kits
1/2" to 3/8" OD	76006	3/8" OD	76072		
<i>LINE SPLICE™ STRAIGHT METRIC</i>	<i>PART NO.</i>	5/16" OD	76073		
8mm OD	77008	5/8" OD	76074	<i>LINE SPLICE ASSORTMENT KITS - 90° SAE</i>	90° SAE 4-Pack ONE each: 5/16", 3/8", 1/2" and 5/8" Line Splice 90° Kits
10mm OD	77010	3/4" OD	76075		
12mm OD	77012				
15mm OD	77015				
16mm OD	77016				
12mm to 10mm	77103				

QUICKLY CONNECT A METAL LINE TO RUBBER HOSE



SMART SPLICE™ LINE-TO-HOSE CONNECTOR

OE-APPROVED

MEETS OEM PERFORMANCE AND DURABILITY STANDARDS

SEAL TECHNOLOGY SUPERIOR TO TRADITIONAL COMPRESSION FITTINGS

Self-adjusting, anti-vibration tension ring

Precision designed for leak prevention

Unique crimping system

Meets OEM performance and durability requirements

Leak-proof Line Splice™ technology on the metal side of the connection

Superior hose crimp technology on the rubber side

Installs in 5 minutes

Master kit includes assembly tools

Also available in Tray Three of the Smart Splice Ultimate System

5/8" (15.9mm) OD Line to #10 Hose (also fits 15mm, 16mm OD Lines)

SMART SPLICE™ LINE-TO-HOSE CONNECTOR KITS

LINE SPLICE STRAIGHT SAE

PART NO.

1/2" (12.7mm) OD Line to #8 Hose

76701

3/8" (9.5mm) OD Line to #6 Hose

76702

5/16" (7.9mm) OD Line to #6 Hose

76703

5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)

76704

3/4" (19mm) OD Line to #12 Hose

76705

LINE SPLICE 45° SAE

PART NO.

1/2" (12.7mm) OD Line to #8 Hose

76711

3/8" (9.5mm) OD Line to #6 Hose

76712

5/16" (7.9mm) OD Line to #6 Hose

76713

5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)

76714

3/4" (19mm) OD Line to #12 Hose

76715

LINE SPLICE 90° SAE

PART NO.

1/2" (12.7mm) OD Line to #8 Hose

76721

3/8" (9.5mm) OD Line to #6 Hose

76722

5/16" (7.9mm) OD Line to #6 Hose

76723

5/8" (15.9mm) OD Line to #10 Hose (fits 15mm, 16mm OD Lines)

76724

3/4" (19mm) OD Line to #12 Hose

76725

SMART SPLICE™ LINE-TO-HOSE CONNECTOR ASSORTMENTS

OE-APPROVED

QUICKLY CONNECT METAL LINE TO RUBBER HOSE
HANDLES ANY TYPE OF LINE-TO-HOSE REPAIR



LINE SPLICE ASSORTMENT KITS - STRAIGHT	PART NO.
Straight Assortment – Four Pack ONE Each: 5/16", 3/8", 1/2" and 5/8"	76706
Straight Assortment – Five Pack ONE Each: 5/16", 3/8", 1/2", 5/8" and 3/4"	76707
45° Assortment – Four Pack ONE Each: 5/16", 3/8", 1/2" and 5/8" 45°	76716
90° Assortment – Four Pack ONE Each: 5/16", 3/8", 1/2" and 5/8" 90°	76726

SMART SPLICE™ A/C REDUCED BARRIER HOSE

OEM QUALITY

BUILD YOUR OWN HOSES FOR MORE PROFIT, FASTER REPAIR COMPLETION

FLEXIBLE HOSE OFFERS HIGHER BEND RADIUS FOR EASY ROUTING

Various lengths available from 15 feet up



SAE REDUCED BARRIER HOSE KITS	PART NO.
#6 (5/16" ID) Per Foot, 15 ft. Minimum	76741
#8 (13/32" ID) Per Foot, 15 ft. Minimum	76742
#10 (1/2" ID) Per Foot, 15 ft. Minimum	76743
#12 (5/8" ID) Per Foot, 15 ft. Minimum	76744

QUICKLY BLOCK METAL LINES

SMART SPLICE LINE TERMINATOR™



SMART SPLICE LINE TERMINATOR™ OE-APPROVED REAR A/C BLOCK-OFF KITS

QUICKLY AND EFFECTIVELY BLOCKS A/C LINES AT THE DAMAGE POINT OR AT THE FRONT SYSTEM "Y"

NO CUSTOM FIT BLOCKS NEEDED

MAXIMIZES FRONT A/C COOLING AND INSTALLS UNDER THE HOOD IN FIVE MINUTES

NO LINE R&R REQUIRED

Bypasses Leaking Rear Evaporators and Failed System Components

Maximizes Front A/C Performance

Eliminates Refrigerant and Oil Pooling in Rear A/C Lines

Also available in Tray Two of the Smart Splice Ultimate System

SAE LINE TERMINATOR A/C BLOCKOFF KITS

	PART NO.
1/2" OD Line	76501
3/8" OD Line	76502
5/16" OD Line	76503
5/8" OD Line	76504
3/4" OD Line	76505

METRIC LINE TERMINATOR A/C BLOCKOFF KITS

	PART NO.
8mm OD Line	77508
10mm OD Line	77510
12mm OD Line	77512
15mm OD Line	77515
16mm OD Line	77516

LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS

	PART NO.
SAE 5-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits	76526
Metric 10-Pack ONE each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits, plus ONE each: 8mm, 10mm, 12mm, 15mm & 16mm	76530

SMART SPLICE™ LINE TERMINATOR APPLICATION KITS

TAKE THE GUESSWORK OUT OF BLOCKING FAILED REAR A/C COMPONENTS

OUR TERMINATOR APPLICATION KITS PROVIDE EVERYTHING NEEDED TO BLOCK FAILED REAR A/C SYSTEMS, THANKS TO OUR UNIQUE YEAR/MAKE/MODEL CATALOG LOOKUP

Kits available for 1995-2015 Chrysler, Ford and GM SUVs, Trucks and Vans

Contains Line Terminator Block Fittings for both High and Low Side A/C Lines

Eliminates need for custom block fittings, access to rear evaporator case - reduces cost and labor time

Helps Maximize Front A/C System Performance

Eliminates Refrigerant and Oil Pooling in Rear A/C Lines



LINE TERMINATOR A/C BLOCKOFF ASSORTMENT KITS

DESCRIPTION	PART NO.
SMART SPLICE™ Y/M/M Application Kit (high /low sides) 1996-2015 Chevrolet, GM SUVs/Trucks/Vans	76511
SMART SPLICE™ Y/M/M Application Ki (high /low sides) 1997-2010 Chrysler, Ford models	76512
SMART SPLICE™ Y/M/M Application Kit (high /low sides) 1995-2014 Chrysler, GM Models	76513

SMART SPLICE™ R134A INLINE SERVICE PORT T

OE-APPROVED

NO LINE R&R

REPLACE DEFECTIVE OR HARD-TO-REACH SERVICE PORTS

QUICK, DURABLE, LEAK-PROOF AND PROFITABLE PORT REPAIR

INSTALLS IN MINUTES

NO WELDING OR BRAZING REQUIRED


Also available in Tray Two of the Smart Splice Ultimate System

Based on the superior sealing technology of AirSept's Smart Splice™ Line Splice



LOW SIDE INLINE SERVICE PORT T™ SINGLES	PART NO.
1/2" OD line	76201
3/8" OD line	76202
5/8" OD line	76204
10mm OD line	77210
12mm OD line	77212
15mm OD line	77215
16mm OD line	77216

HIGH SIDE INLINE SERVICE PORT T™ SINGLES	PART NO.
5/16" OD line	76212
3/8" OD line	76213
1/2" OD line	76214
8mm OD line	77228
10mm OD line	77222
12mm OD line	77220



QUICKLY REPAIR LARGE SEGMENTS OF DAMAGED LINE

SMART SPLICE™ LINE REPAIR EXTENSION KITS



SMART SPLICE™ LINE REPAIR EXTENSION KITS

EFFECTIVE, DURABLE LEAK REPAIR FOR DAMAGED METAL LINE SEGMENTS UP TO 24" IN LENGTH

FIVE MINUTE INSTALLATION WITHOUT LINE REMOVAL

- Cut away the damaged length of metal line, up to 24"
- 24" of appropriate hose included
- Install Smart Splice line to hose connectors on either end of remaining line
- Measure and cut included hose to correct length
- Insert hose segment and crimp to complete repair

SMART SPLICE™ LINE REPAIR EXTENSION KITS

A/C LINES	PART NO.
1/2" Line to # 8 Hose (Includes 24" of Reduced Barrier Hose)	76731
3/8" Line to # 6 Hose (Includes 24" of Reduced Barrier Hose)	76732
5/16" Line to #6 Hose (Includes 24" of Reduced Barrier Hose)	76733
5/8" Line to # 10 Hose (Includes 24" of Reduced Barrier Hose)	76734
3/4" Line to # 12 Hose (Includes 24" of Reduced Barrier Hose)	76735
OIL/TRANS LINES	PART NO.
5/16" OD Line to 5/16" ID Hose (Includes 24" of Transmission Hose)	76768
3/8" OD Line to 3/8" ID Hose (Includes 24" of Transmission Hose)	76767
POWER STEERING RETURN LINES	PART NO.
3/8" OD Line to 3/8" ID Hose (Includes 24" of Power Steering Hose)	76772

EASILY ADD OR REPLACE SERVICE VALVES

SMART SPLICE™ INLINE SERVICE VALVE INSERTS



SMART SPLICE™ INLINE SERVICE VALVE INSERTS

ADD OR REPLACE EXISTING VALVES/PORTS

INSTALL IN MINUTES

- Accommodates any switch or relay with 3/8" - 24 threads
- Durable, leak-proof installation
- No welding or brazing required

STRAIGHT SAE INLINE SERVICE VALVE INSERTS ***PART NO.***

5/16" x 5/16" OD line, 1/4" SAE Flare Service Valve	76251
3/8" x 3/8" OD line, 1/4" SAE Flare Service Valve	76252
1/2" x 1/2" OD line, 1/4" SAE Flare Service Valve	76253
5/8" x 5/8" OD line, 1/4" SAE Flare Service Valve	76254

STRAIGHT METRIC INLINE SERVICE VALVE INSERTS ***PART NO.***

8mm x 8mm OD line, 1/4" SAE Flare Service Valve	77251
10mm x 10mm OD line, 1/4" SAE Flare Service Valve	77252
12mm x 12mm OD line, 1/4" SAE Flare Service Valve	77253
15mm x 15mm OD line, 1/4" SAE Flare Service Valve	77254
16mm x 16mm OD line, 1/4" SAE Flare Service Valve	77255

REPAIR DAMAGED HOSES IN MINUTES

SMART SPLICE™ HOSE-TO-HOSE CONNECTOR



WORKS WITH ALL COOLANT AND HEATER HOSES

ADVANCED CRIMP AND FRAME TECHNOLOGY

WORKS WITH ALL A/C REDUCED BARRIER HOSES



SMART SPLICE™ HOSE-TO-HOSE CONNECTOR QUICKLY CONNECT RUBBER HOSE ENDS

PRECISION-DESIGNED CRIMP SYSTEM PROVIDES SUPERIOR LEAK-RESISTANT SEAL

ADVANCED CRIMP TECHNOLOGY WORKS WITH HAND-HELD CRIMPER

- Meets OEM performance and durability requirements
- Also available in Tray Three of the Smart Splice Ultimate System



HOSE-TO-HOSE STRAIGHT CONNECTOR	PART NO.
# 6 A/C Hose to # 6 A/C Hose	76801
# 8 A/C Hose to # 8 A/C Hose	76802
# 10 A/C Hose to # 10 A/C Hose	76803
# 12 A/C Hose to # 12 A/C Hose	76804
4-Pack (1) #6 to #6, (1) #8 to #8, (1) #10 to #10, (1) #12 to #12	76805

FIX AUTOMOTIVE FLUID LINES WITH EASE

SMART SPLICE™ BARBED LINE-TO-HOSE CONNECTORS



SMART SPLICE™ BARBED LINE-TO-HOSE CONNECTORS

QUICKLY CONNECT METAL LINE TO RUBBER HOSE

INSTALLS IN 5 MINUTES

SUITABLE FOR MULTIPLE FLUID CARRYING SYSTEMS

Smart Splice Barbed Connectors allow quick, durable on-vehicle repair

- Leak-proof Line Splice technology on the metal side of the connection
- Superior hose crimp technology on the rubber side

HOSE-TO-TUBE REPAIRS FOR

POWER STEERING RETURN LINES
TRANSMISSION LINES
TRANS OIL COOLER LINES
ENGINE OIL LINES
ENGINE OIL COOLER LINES
COOLANT LINES
HEATER LINES



SMART SPLICE BARBED CONNECTOR	PART NO.
3/8" OD Line to 3/8" ID Hose	76762
5/16" OD Line to 5/16" ID Hose	76763
4 Pack - (2) 3/8" OD Line to 3/8" ID Hose, (2) 5/16" OD Line to 5/16" ID hose	76765



DURABLY CONNECT THREE METAL LINES

SMART SPLICE™ 3-WAY LINE CONNECTOR

SMART SPLICE™ 3-WAY LINE CONNECTOR

CONNECT LINES OF SAME OR DIFFERENT DIAMETERS

- Compact for tight spaces
- Torsion resistant for superior sealing
- Ideal for dual A/C systems
- Popular for heavy duty applications



SMART SPLICE™ 3-WAY LINE CONNECTOR

SIZE	PART NO.
3/8" x 3/8" x 3/8"	76091
1/2" x 1/2" x 3/8"	76092
3/4" x 3/4" x 1/2"	76093
5/8" x 5/8" x 1/2"	76094
1/2" x 1/2" x 1/2"	76095

TOOLS OF THE TRADE

PROFESSIONAL GRADE TOOLS FOR HOSE REPAIR AND ASSEMBLY



AUTO STOP CRIMPER
USE TO INSTALL SMART SPLICE™ CRIMPS

DESCRIPTION	PART NO.
Pex Crimper	90045



DEBURRER
REMOVE ROUGH METAL LINE EDGES

DESCRIPTION	PART NO.
Metal Line Deburrer	90041



TUBE CUTTER
CUT LINES TO SIZE

DESCRIPTION	PART NO.
Tube Cutter	90043



TUBE BENDER
BEND TUBES TO BUILD A LINE

DESCRIPTION	PART NO.
Tube Bender (up to 3/8" OD tube)	90046



HOSE CUTTER
PRECISION CUT RUBBER HOSE

DESCRIPTION	PART NO.
Rubber Hose Cutter	90044

HIGH & LOW SIDE PROTECTION SIMULTANEOUSLY

DUAL RECYCLE GUARD™



DUAL RECYCLE GUARD™

HIGH AND LOW SIDE PROTECTION FROM DEBRIS, SEALANT, DYE, EXCESS LUBRICANT AND CONTAMINANTS, ALL IN ONE

COMPATIBLE WITH ALL A/C SERVICE EQUIPMENT

HOSES, ADAPTERS AND COUPLERS INCLUDED
1 UNIT CONNECTS TO BOTH HIGH & LOW SIDES SIMULTANEOUSLY
TRAPS ALL SEALANTS AND CONTAMINANTS

One unit recovers from both high and low sides simultaneously

- Traps metal shavings, desiccant particles and other harmful debris
- Maintains refrigerant flow

PREVENT SERVICE EQUIPMENT DOWNTIME
USE WITH EVERY A/C SERVICE OR REPAIR AND YOU WON'T HAVE TO WORRY



DUAL RECYCLE GUARD	PART NO.
Dual Recycle Guard for R134a A/C Systems	73001
Dual Recycle Guard for R1234yf A/C Systems	73002
Dual Recycle Guard Replacement Filter 2-Pack	75112
Dual Recycle Guard Replacement Filter 4-Pack	75114

TRAP SMARTER WITH RECYCLE GUARD™

DEBRIS, SEALANT AND CONTAMINANT SEPARATOR

CONTAMINATED
REFRIGERANT
OUT OF CAR



SEALANT-FREE
REFRIGERANT TO
RECOVERY MACHINE



RECYCLE GUARD™

PROTECT YOUR RECOVERY EQUIPMENT FROM DEBRIS,
SEALANT, DYE, EXCESS LUBRICANT AND OTHER CONTAMINANTS

SEALANT FROM AN A/C SYSTEM CAN BE DEADLY TO YOUR
A/C SERVICE EQUIPMENT

- Stop-leak and seal sweller type sealants plug tubing, restrict valve movement and alter seal shape and performance
- Built-in filters on A/C service equipment are often located too far inside the equipment to protect sensitive valves, seals and fittings



TRAPS METAL SHAVINGS / DESSICANT PARTICLES	✓
TRAPS BOTH STOP-LEAK AND SEAL SWELLER TYPE SEALANT	✓
MAINTAINS REFRIGERANT FLOW	✓
WORKS WITH ALL A/C SERVICE EQUIPMENT	✓
CAN BYPASS FILTER WITHOUT DISCONNECTING RECYCLE GUARD	✓
EASY DRAIN AND REPLACEABLE FILTERS FOR LONG SERVICE LIFE	✓

RECYCLE GUARD

PART NO.

1/2" ACME fittings & 36" R134a Hose	72101
1/4" Flare fittings & 36" R134a Hose	72102
Manual Recycle Guard Replacement Filter 2-Pack	72112
Manual Recycle Guard Replacement Filter 4-Pack	72114

RECOVER-ONLY RECYCLE GUARD™

PROTECT A/C SERVICE EQUIPMENT FROM CONTAMINANTS

- Trap all debris, sealant, lubricant, dye, and other contaminants as they exit the HVAC system
- Works with all commercial refrigerant types
- Available with SAE 1/4" Flare



<i>DESCRIPTION</i>	<i>PART NO.</i>
Recycle Guard - Recovery Only, 1/4" SAE fittings, w/36" hose	72104

**RECYCLE GUARD™ FILTERS
REPLACEMENT FILTER KITS**

<i>DESCRIPTION</i>	<i>PART NO.</i>
Two Pack	72112
Four Pack	72114



REFRIGERANT CANISTER FILTER™

PROTECT YOUR REFRIGERANT SUPPLY


- Use inline between the virgin refrigerant tank and the tank fill hose
- Helps stop debris from entering your refrigerant supply canisters



<i>DESCRIPTION</i>	<i>PART NO.</i>
Refrigerant Canister Filter, 1/4" SAE Flare Fittings	72901
Refrigerant Canister Filter Service Kit	76108

MAINTAIN YOUR RECYCLE GUARD™

ADAPTER KITS, FITTINGS AND ACCESSORIES



RECYCLE GUARD™ MOUNTING BRACKET




DESCRIPTION	PART NO.
Recycle Guard™ Mounting Bracket	72354



RECYCLE GUARD™ ADAPTERS

DESCRIPTION	PART NO.
Adapter Kit for Recycle Guard with 1/4" Flare fittings	72138
Dual Automatic Recycle Guard 1/4" Flare Adapter Kit (2 hoses and 4 fittings)	72139
Dual Automatic Recycle Guard 1/4" Flare to 1/2" ACME Adapter Kit (2 hoses and 4 fittings)	72127

SERVICE FITTINGS

FITTINGS - 5 PACK	PART NO.
 1/8" Male NPT x 1/4" SAE Male Flare fitting	72912
 1/8" Male NPT x 1/2" Male ACME Fitting	72914
 1/4" SAE Flare x 1/8" NPT 45° Fitting	72911
 1/2" ACME Female x 1/4" Male Flare	72913
 1/4" MPT T-Handle Drain Cock	72910
 1/4" Female Flare x 1/2" ACME Male	72918



FLUSH SMARTER WITH A/C FLUSH MACHINE

WITH DUAL-TANK AND SOUNDSILENCE™ TECHNOLOGY



FLUSH, LUBRICATE AND REPAIR A/C SYSTEMS WITH CONFIDENCE

PERFORMS 15 MINUTE FLUSH –
30 MINUTE DRYING PROCEDURE

*Air Drying System ensures a max dry Air Purge Cycle
Helps prevent A/C repair comebacks*

PROPRIETARY ANTI-MISTING FLUID FLOW SYSTEM
WITH CHARCOAL FILTRATION REDUCES SOLVENT FUMES

*SoundSilence™ technology significantly reduces noise
Our air flow management system prevents flushing
unless flush/purge settings are in the correct position*

EASY, LOW-COST MAINTENANCE
R1234YF AND R134A COMPATIBLE

DESCRIPTION	PART NO.
A/C Flush Machine with Dual-Tank and SoundSilence™ Technology	40001

PREVENT SERVICE EQUIPMENT DOWNTIME KEEP YOUR FLUSH MACHINE OPERATING SMOOTHLY

REPLACE CHARCOAL FILTER EVERY 25 FLUSHES
REPLACE PARTICLE AND COALESCING FILTER EVERY 100 FLUSHES

DESCRIPTION	PART NO.
100 Flush Cycle Filter Replacement Kit for A/C Flush Machine	40020



A/C FLUSH EQUIPMENT



DESCRIPTION

PART NO.

Charcoal Exhaust Filter for A/C Flush Machine - Two Pack

40010

100 Flush Cycle Filter Replacement Kit for A/C Flush Machine

40020



DESCRIPTION

PART NO.

Spin-on Filter for A/C Flush Machine - Single

40011

Spin-on Filter for A/C Flush Machine - Case (12 each)

40012



DESCRIPTION

PART NO.

Air Inlet Filtration Cartridge Set for A/C Flush Machine

40018

Air Outlet Filtration Cartridge Set for A/C Flush Machine

40019



DESCRIPTION

PART NO.

AirSept A/C Flush Solvent - Quart Bottle

40015

AirSept A/C Flush Solvent - One Gallon Can

40016

AirSept A/C Flush Solvent - Case (FOUR each, One Gallon Can)

40017



DESCRIPTION

PART NO.

AirSept Flush Adaptor Set

40029



DESCRIPTION

PART NO.

Hose Replacement Set
(10 ft. Inlet/Outlet Hoses)

40030

Hose Extension Kit
(10 ft. Inlet/Outlet Extensions)

40032



DESCRIPTION

PART NO.

Replacement Coupler Set

40031

PROTECT COMPRESSORS FROM DEBRIS



FORD SCROLL FILTER PLATE




TRS090 & HS110
(HONDA) FILTER PLATE

COMPRESSOR GUARD™ PLATES

FILTER PLATES AVAILABLE FOR OVER 9,000 POPULAR 1978-2016 COMPRESSOR APPLICATIONS

EASY-INSTALL SUCTION FILTER PLATES

- OE-fit to factory suction line manifold for easy installation
- Fits between the suction hose manifold and compressor suction port
- Normal pressure and flow rates maintained
- Install Compressor Guard with every A/C system repair



COMPRESSOR GUARD PLATE

PART NO.

Chrysler C171 / A590	91001
Sanden TRS090 / HS110	91003
Ford Scroll	91004
Sanden SD7V16	91006
Ford FS10 / FX15	91008
GM H6 / HD6 / HT6 / V5 / V7	91009
Sanden SD7H15	91010
Denso 10S17 / 10S20 (GM Seal Washer)	91011
Denso 10S17 / 10S20 (O-ring seal)	91012
Sanden 6SBU / 7SBU / 7SEU	91014
Sanden TRS105 Saab Scroll	91015
Sanden TRSA12 GM / Saab / Isuzu Scroll	91016

COMPRESSOR GUARD PLATE

PART NO.

GM / Saturn Scroll, 3.5 Liter	91017
GM / Saturn Scroll, 2.2 Liter Small Port	91018
GM / Saturn Scroll, 2.2 Liter Large Port	91019
Mitsubishi MSC105CA	91020
Mitsubishi Scroll	91021
York Rotolock Filter Plate (HD Applications)	91022
York Tube 0 - 1" Filter Plate (HD Applications)	91023
VS16 Filter Plate (European Applications)	91024
Ford FS18 / FX20 / RS20	91025

FREE APPLICATION GUIDE
NOW OFFERS MORE THAN 9,000 APPLICATIONS
FOR 1978-2016 COMPRESSOR MODELS

COMPRESSOR GUARD™ SCREENS


OE-APPROVED SUCTION SCREENS PROTECT YOUR COMPRESSOR REPAIRS

COMPRESSOR GUARD SUCTION SCREEN OE-FIT SIZES MATCH ANY OE SUCTION BLOCK / MANIFOLD

INSTALL WITHOUT CUTTING LINES

MULTI-SIZE SCREEN KITS COVER OVER 95% OF ALL SUCTION PORT IDS

- Maintains normal pressure and flow
- No additional fittings required
- Creates no additional leak points
- Sizes for any OE suction block / manifold



COMPRESSOR GUARD SCREEN PREVENTS DEBRIS ENTERING COMPRESSOR



COMPRESSOR GUARD™ KITS

PART NO.

24 Suction Screen Kit - contains 3 each of our 8 most popular sizes	67675
Ultimate 72 Suction Screen Kit - contains 3 each of 24 sizes	67679

5 PACK REPLACEMENT SCREENS PART NO. FITS ID RANGE

0.395" (10.03 mm)	67518	.384" to .392"
0.404" (10.26 mm)	67520	.393" to .401"
0.436" (11.07 mm)	67522	.425" to .433"
0.463" (11.76 mm)	67524	.452" to .460"
0.471" (11.96 mm)	67502*	.460" to .468"
0.492" (12.50 mm)	67526	.481" to .489"
0.500" (12.70 mm)	67528	.489" to .497"
0.510" (12.95 mm)	67504*	.499" to .507"
0.521" (13.23 mm)	67506*	.510" to .518"
0.531" (13.49 mm)	67508*	.520" to .528"
0.538" (13.67 mm)	67510*	.527" to .538"
0.552" (14.02 mm)	67512*	.541" to .549"

5 PACK REPLACEMENT SCREENS PART NO. FITS ID RANGE

0.561" (14.25 mm)	67536	.550" to .558"
0.579" (14.70 mm)	67538	.568" to .576"
0.588" (14.93 mm)	67530	.577" to .585"
0.595" (15.11 mm)	67514*	.584" to .592"
0.600" (15.24 mm)	67532	.589" to .597"
0.618" (15.70 mm)	67516*	.607" to .615"
0.649" (16.48 mm)	67540	.638" to .646"
0.821" (20.85 mm)	67534	.811" to .819"
0.866" (22.00 mm)	67541	.856" to .864"
0.872" (22.15 mm)	67542	.862" to .870"
0.878" (23.00 mm)	67543	.868" to .876"
10PA17	67544	Denso 10PA17


* = Screen Included in Compressor Guard 24 Screen Kit # 67675

HIGH SIDE INLINE FILTER™

OE-APPROVED

PROTECT THE CONDENSER, OTHER NEW A/C COMPONENTS

- Traps metal shavings and non-metallic debris
- Tapered design forces debris to the side
- Allows continual refrigerant flow, even after catching debris
- Works with TXV or CCOT systems



HIGH SIDE INLINE FILTER	PART NO.
Inline SAE High Side Filter for 5/16", 3/8" or 1/2" Line	76100
Inline Metric High Side Filter for 10mm or 12mm Line	77100


Patented

MIO HIGH SIDE FILTER™

A/C HIGH SIDE DEBRIS PROTECTION

WITH MALE INSERT O-RING FITTINGS FITS BETWEEN COMPRESSOR AND CONDENSER

- Traps harmful metal and non-metallic debris
- Tapered screen forces debris to side -- maximizes flow
- Works with TXV or CCOT systems



TM

MIO HIGH SIDE FILTER	PART NO.
MIO High Side Filter (#8 Fitting)	76107
Service Kit (contains new screen, 2 O rings)	76108

CLICK LOCK™

A/C SECURITY SYSTEM


PATENTED CAP SHOWS IF A/C SYSTEM HAS BEEN OPENED
KNOW IF SOMEONE ACCESSED THE SYSTEM
ALERTS YOU TO CHECK FOR REFRIGERANT CROSS-CONTAMINATION

- Proof that system has been opened allows easier customer communication
- Easy repair order tracking - with unique serial numbers
- Helps prevent unwittingly causing system problems

AVAILABLE FOR R134a OR R1234yf



CLICK LOCK™	PART NO.
10 Pack for R134a A/C Systems	72921
50 pack for R134a A/C Systems	72925
10 Pack for R1234yf A/C Systems	72931
50 pack for R1234yf A/C Systems	72935



FORD E-SERIES RETURN AIR DEBRIS SHIELD

OPTIMIZES A/C SYSTEM PERFORMANCE

- Stop A/C cooling problems due to debris blocking air flow over the evaporator on 2002 - 2015 Ford E-Series vans
- Return Air Debris Shield (RADS) intercepts debris before it can reach the evaporator and optimizes A/C system performance.
- Installs In The Passenger Cabin
- No Component Removal
- Four Easy Steps, Under Five Minutes
- No Special Tools Required
- CARB Rated Filter Media



DESCRIPTION

PART NO.

Ford E Series (2002 - 2015) Return Air Debris Shield (RADS)

90025

GM RETROFIT CABIN AIR FILTER

FOR 2007-2014 GM PICKUPS AND SUVS NOT FACTORY EQUIPPED WITH A CAF

INSTALLS WITHIN VEHICLE HVAC SYSTEM

OE-FIT

- Over 5 million 2007-2014 GM Pickups and SUVs are not factory equipped with a cabin air filter.
- Installs a cabin air filter in minutes without special tools or equipment.
- EASY INSTALLATION
- Remove cover from the GM CAF cavity
- Insert AirSept's GM Truck Cabin Air Filter
- Screw on AirSept's GM Truck Cabin Air Filter Cover Plate



DESCRIPTION

PART NO.


GM Truck Segmented Cabin Air Filter – Standard	90015
GM Truck Segmented Cabin Air Filter– Carbon	90016
GM Truck Cabin Air Filter Cover Plate	90017
GM Cabin Air Filter Retrofit Kit - Standard Includes Cabin Air Filter, Cover Plate, Mounting Screw	90018
GM Cabin Air Filter Retrofit Kit - Carbon Includes Cabin Air Filter, Cover Plate, Mounting Screw	90019



GM EQUINOX / TORRENT BLEND DOOR REPAIR KIT™

OE-APPROVED

REPAIR BLEND DOORS WITHOUT DASH OR HVAC CASE REMOVAL
REDUCES LABOR TIME BY 8-10 HOURS



DESCRIPTION	PART NO.
Equinox/Torrent Blend Door Repair Kit with Sleeve	68001
Equinox/Torrent Blend Door Sleeve Refill Kit	68002

JEEP GRAND CHEROKEE BLEND DOOR REPAIR KIT

LABOR TIME IS REDUCED BY UP TO 75 PERCENT

NO DASH OR HVAC CASE REMOVAL

GRAND CHEROKEE BLEND DOOR REPAIR KIT ALLOWS REPAIR OF THE DRIVER'S SIDE BLEND DOOR

TWO DIFFERENT LENGTH REPAIR SLEEVES PROVIDED TO MAKE THE FIX FOR DRIVER'S SIDE OR BOTH BLEND DOORS AT ONCE

NO SPECIAL TOOLS – JUST A RATCHET AND SCREWDRIVER
REDUCES LABOR TIME BY 5 TO 6 HOURS



DESCRIPTION	PART NO.
Jeep Grand Cherokee (1997-2004) Blend Door Repair Kit – Driver Side With Sleeve	68006
Jeep Grand Cherokee (1997-2004) Blend Door Repair Sleeve – Driver Side	68017



AUDI SPRING-LOCK TOOL KIT

- Unique design for disconnecting spring lock connectors on newer Audi, Volkswagen models
- High quality tensile steel construction

DESCRIPTION	PART NO.
Audi Spring-Lock Tool	90006



GM SPRING-LOCK TOOL KIT

DISCONNECTS GM SPRING-LOCK CONNECTORS

- Opens spring-lock connectors on A/C high and low side hoses
- Two sizes accommodate suction and discharge lines

DESCRIPTION	PART NO.
GM Spring-Lock Tool Set	90004



MERCEDES SPRING-LOCK RELEASE TOOL

DISCONNECTS MERCEDES SPRING-LOCK CONNECTORS

- Specially designed to disconnect Mercedes spring-lock connectors during A/C service
- Simply clamp onto spring-lock connectors and press to release service hoses

DESCRIPTION	PART NO.
Mercedes Spring-Lock Release Tool	90002



SPRING-LOCK MASTER ASSORTMENT

SPRING-LOCK TOOLS FOR MULTIPLE MAKES

- Four lock release tools for most Ford and Chrysler LH series; sizes 3/8", 1/2", 5/8" and 3/4"
- Two lock release tools for newer VW models
- Two lock release tools for newer GM models
- Ford Spring-Lock Tool Kit Sold Separately

DESCRIPTION	PART NO.
Spring-Lock Master Assortment	90000
Ford/Chrysler Spring-Lock Tool Kit	90005



VOLKSWAGEN SPRING-LOCK TOOL KIT

OEM APPROVED

EASILY OPENS SPRING-LOCK CONNECTORS DURING A/C SERVICE

- Open spring-locks on high and low side A/C hoses for access during service or repair
- Spring-loaded clamp minimizes spray when line is disconnected

DESCRIPTION	PART NO.
Volkswagen Spring-Lock Tool Kit	90001



R134a / R1234yf PRO GRADE OIL/DYE INJECTOR

WITH UNIQUE SIGHT GLASS BODY

- Easy to read measuring scale
- Durable, all-steel body
- Up to 230 PSI injecting pressure



DESCRIPTION	PART NO.
R134a A/C Oil Injector w/Sight Glass Body	90021
R1234yf A/C Oil Injector w/Sight Glass Body	90023
R134a/R1234yf A/C Oil Injector w/Sight Glass Body	90024

R134a / R1234yf SMALL OIL / DYE INJECTOR

- Light yet Durable
- Manual Shut off, Sight Glass
- 1/2" ACME, F x M

DESCRIPTION	PART NO.
R134a/R1234yf Small Oil/Dye Injector	90020



R134a / R1234yf SIGHT GLASS DIAGNOSTIC TOOL

- Monitor System Flushing
- Check Charging Level
- View Oil Charging
- Detect Contaminants

DESCRIPTION	PART NO.
R134a Sight Glass Diagnostic Tool	90029
R1234yf Sight Glass Diagnostic Tool	90034




UNIVERSAL 48" SERVICE HOSES

DESCRIPTION	PART NO.
48" Blue A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72156
48" Red A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72157
48" Yellow A/C Service Hose 1/4" Female Flare Fittings on Both Ends	72158



R1234yf and R134a HIGH AND LOW SIDE SLIM LINE COUPLERS

- Fits deep-seated or standard ports
- Eliminates radiator support R&R
- Quick Connect, fits in tight spaces



DESCRIPTION	PART NO.
R1234yf High Side Slim Line Couplers	90007
R1234yf Low Side Slim Line Couplers	90037
R134a High Side Slim Line Couplers	90003
R134a Low Side Slim Line Couplers	90033



R1234yf and R134a SERVICE COUPLERS

**TOUGH, DURABLE QUICK CONNECT DESIGN
FOR YEARS OF SERVICE**

DESCRIPTION	PART NO.
R1234yf High Side Coupler	72144
R1234yf Low Side Coupler	72145
R1234yf Coupler Kit (1 High Side, 1 Low side)	72146
R1234yf Coupler to 1/4" Hose Adapter Fitting	72151
R1234yf Coupler to R134a Hose Adapter Fitting	72152
R134a High Side Coupler	72130
R134a Low Side Coupler	72131
R134a Coupler Kit (1 High Side, 1 Low side)	72132

R1234yf and R134a SERVICE HOSES

- High Quality, OEM Grade Hose
- Designed for rough service
- Available in 36" and 72"



DESCRIPTION	PART NO.
R1234yf 72" Red High Side Hose, 12mm-M x 12mm-M	72150
R1234yf 36" Yellow Jumper Hose, 12mm fitting x 1/2 x 16 ACME LH	72147
R1234yf 72" High/Low (Red/Blue) Hose Set, 12mm-M x 12mm-M	72148
R1234yf 72" Blue Low Side Hose, 12mm-M x 12mm-M	72149

DESCRIPTION	PART NO.
R134a 36" Yellow Jumper Hose, 1/2" ACME x 1/2" ACME	72136
R134a 36" Blue Low Side Hose, 1/2" ACME x 14mm	72137
R134a 72" Red High Side Hose, 1/2" ACME x 14mm	72134
R134a 72" Blue High Side Hose, 1/2" ACME x 14mm	72133
R134a 72" High/Low Side Hose Set, 1/2" ACME x 14mm	72125


PROTECT POWER STEERING COMPONENTS FROM DEBRIS

STEERING GUARD™

IN-LINE POWER STEERING FILTER

- Dual filtration technology traps metal shavings and non-metallic debris
- Built-in bypass maintains flow no matter how much trash the filter catches
- Easy to clean and reinstall
- Added value for installers
- Peace of mind for customers

STEERING GUARD	PART NO.
3/8" Double Barb	74010
3/8" Barb Snap Connector	74011
5/16" Double Barb	74012



BARBED INLINE TRANSMISSION FILTER

EXTEND THE LIFE OF YOUR TRANSMISSION REPAIRS FLUSHING DOES NOT CATCH 100% OF HARMFUL DEBRIS

- Traps metal shavings and non-metallic debris
- Pressure tested to 750 psi
- Built-In Bypass for constant fluid flow even after filter is full
- 60% smaller than traditional transmission filters



TRANSGUARD	PART NO.
3/8" Barbed In Line Filter - Metal	71015
1/2" Barbed In Line Filter - Metal	71016
5/8" Barbed In Line Filter - Metal	71017
3/8" Barbed In Line Filter - Plastic	71115
1/2" Barbed In Line Filter - Plastic	71116



TRANSMISSION FILL ADAPTER TOOL

ALLOWS FLUID INSTALLATION ON TRANSMISSIONS WITHOUT DIPSTICKS

- Standard quick-connect fitting
- Slim design fits in tight spaces
- 23.5" flexible tube reaches around obstacles

DESCRIPTION	PART NO.
Transmission Fill Adapter Tool	62640

PERMATUBE™

RADIATOR OVERFLOW TUBE REPLACEMENT KITS

ALLOWS OVERFLOW TUBE REPLACEMENT ON THE VEHICLE,
ELIMINATING RADIATOR REPLACEMENT OR REPAIR

- OEM-Approved
- Costs less than radiator R&R
- Factory appearance and performance
- No radiator or coolant removal



REPLACEMENT KIT




RELOCATION KIT

**REPAIR BROKEN
RADIATOR TUBES IN
LESS THAN 5 MINUTES**



PERMATUBE	PART NO.
PermaTube Replacement Kit	65605
PermaTube Relocation Tools	65607
PermaTube 2 Pack Refills	65602
PermaTube 5 Pack Refills	65608



**PROTECT
TRANSMISSIONS FROM
OIL COOLER DEBRIS**

**TRANSGUARD™
INLINE TRANSMISSION FILTER**

PROTECTS TRANSMISSIONS FROM OIL COOLER DEBRIS

- Installs at the oil cooler outlet to trap leftover system metal and debris before it enters the transmission inlet
- Installation complete in under five minutes
- Fits most applications without altering factory configurations
- Unique bypass system - no matter how much trash the filter catches, fluid flow is constant
- Provides a great opportunity to boost your profits and increase customer satisfaction

TRANSGUARD CHRYSLER FILTER	PART NO.
3/8" Male Inverted Flare x 3/8" Female Inverted Flare	71006
3/8" Male Flare x 3/8" Female Flare	71012
TRANSGUARD GM FILTER	PART NO.
All Models with Quick Connect Fittings	71002
5/16" Male Inverted Flare x 5/16" Female Inverted Flare	71004
3/8" Male Inverted Flare x 3/8" Female Inverted Flare	71006
TRANSGUARD FORD FILTER	PART NO.
5/16" Long Flare	71032
3/8" Long Flare	71034
TRANSGUARD IN LINE FILTER	PART NO.
3/8" Double Barb	71001
5/16" Double Barb	71008
3/8" Snap Connect	71022

COOLING COIL COATING™

OEM-APPROVED

ELIMINATE A/C ODOR FOR UP TO THREE YEARS

- Lasts for Up to Three Years
- Effectively reduces odor for the long term
- Sheds moisture and extends service life of evaporator
- No cover-up fragrances



TREAT HARD-TO-REACH UNDER HOOD AREAS USING THE ULTI-FLEX PRESSURE SPRAY TOOL. WORKS WITH ALL AUTOMOTIVE FLUIDS.

COOLING COIL COATING™	PART NO.
4-oz. Non-Aerosol Bottle	60602
Cooling Coil Coating/OxyVap Starter Kit	60628


COOLING COIL COATING/OXYVAP STARTER KIT THREE YEARS OF A/C ODOR ABATEMENT - FOR TWO VEHICLES

(2) Cooling Coil Coating™ 4 oz. bottles	60628
(2) OxyVap™ 4 oz. bottles	
(1) Ulti-Flex Pressure Spray Tool	

OXYVAP™

AUTOMOTIVE EVAPORATOR CLEANER

- Eliminates odor right from the source
- Removes dirt and contaminants
- Leaves no residue
- Safe for use on metals



OXYVAP™	PART NO.
OxyVap™ Evaporator Cleaner 4oz	60646

ULTI-FLEX PRESSURE SPRAY TOOL™

OEM-APPROVED

PRECISION ATOMIZING TIP ASSURES OPTIMAL PRODUCT DIFFUSION


THE BEST WAY TO APPLY COOLING COIL COATING, A/C ODOR SHIELD, OXYVAP OR ANY AUTOMOTIVE FLUID

- Bend to fit any underhood or undercar configuration
- Use with shop air for fast application or powerful cleaning action
- Durable metal construction, protective sheathing

PROPRIETARY ANTI-SIPHON DESIGN

PATENTED ATOMIZING TIP

INFINITELY FLEXIBLE APPLICATOR



DESCRIPTION	PART NO.
Ulti-Flex Pressure Spray Tool	62644

MS1 SPRAY TOOL

EFFECTIVE, PENETRATING SPRAY APPLICATOR

- Patented precision atomizing tip provides optimum liquid diffusion
- Creates uniform spray coverage
- Shop air maximizes penetration, cleaning power

DESCRIPTION	PART NO.
MS1 Spray Tool	62602



COST EFFECTIVE & TIME SAVING SOLUTIONS

TECHNICIAN FRIENDLY LINE CONNECTORS,
FILTRATION, TOOLS AND REPAIR PRODUCTS

2024 AUTOMOTIVE CATALOG



SMART SPLICE™ PATENTED, QUICK, DURABLE, LINE CONNECTORS

1-800-999-1051 / WWW.AIRSEPT.COM / 1-678-973-2287